

The Elephant.

Main folder or directory pointed by the web server.

(index by default)

index:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<title>Carmine Rendina Home</title>
<?php require 'menu.php' ?>
<?php require 'cr.php' ?>
<p align=right>
<?php
function generate_calendar($year, $month, $days = array(),
$day_name_length = 3, $month_href = NULL, $first_day = 0, $pn =
array())
{
$first_of_month = gmmktime(0,0,0,$month,1,$year);
$day_names = array(); #generate all the day names according to
the current locale
for($n=0,$t=(3+$first_day)*86400; $n<7; $n++, $t+=86400)
$day_names[$n] = ucfirst(gmstrftime('%A',$t));
list($month, $year, $month_name, $weekday) =explode(' ',gmstrftime('%m,%Y,%B,%w',$first_of_month));
$weekday = ($weekday + 7 - $first_day) % 7;
$title
= htmlentities(ucfirst($month_name)).'&nbsp;'.$year;
@list($p, $pl) = each($pn); @list($n, $nl) = each($pn);
if($p) $p = '<span class="calendar-prev">'.($pl ? '<a
href="'.htmlspecialchars($pl).'">'. $p.'</a>' :
$p).'</span>&nbsp;';
if($n) $n = '&nbsp;.<span class="calendar-next">'.($nl ? '<a
href="'.htmlspecialchars($nl).'">'. $n.'</a>' : $n).'</span>';
$calendar = '<table class="calendar">'. "\n".
'<caption class="calendar-month">'. $p. ($month_href ? '<a
href="'.htmlspecialchars($month_href).'">'. $title.'</a>' :
$title). $n.'</caption>\n<tr>';
if($day_name_length){ #if the day names should be shown
($day_name_length > 0)
foreach($day_names as $d)
$calendar .= '<th
abbr="'.htmlentities($d).'">'.htmlentities($day_name_length < 4 ?
substr($d,0,$day_name_length) : $d).'</th>';
$calendar .= "</tr>\n<tr>";
}
if($weekday > 0) $calendar .= '<td colspan="'.
$weekday.'">&nbsp;&nbsp;&nbsp;</td>';
for($day=1,$days_in_month=gmdate('t',$first_of_month);
$day<=$days_in_month; $day++, $weekday++)
{
if($weekday == 7)
{
$weekday
= 0;
$calendar .= "</tr>\n<tr>";
}
if(isset($days[$day]) and is_array($days[$day]))
{
@list($link, $classes, $content) = $days[$day];
if(is_null($content)) $content = $day;
$calendar .= '<td'.($classes ? '
class="'.htmlspecialchars($classes).'"> : '>'.
($link ? '<a
href="'.htmlspecialchars($link).'">'. $content.'</a>' :
$content).'</td>';
}
else $calendar .= "<td>$day</td>";
}
if($weekday != 7) $calendar .= '<td colspan="'.(7-
$weekday).'">&nbsp;&nbsp;&nbsp;</td>'; #remaining "empty" days
return $calendar."</tr>\n</table>\n";
}?>
<?php
$time = time();
$today = date('j',$time);
$days = array($today=>array(NULL,NULL,'<span style="color: red;
```

```

font-weight: bold; font-size: larger; text-decoration: blink;".
$today.'

```

Menu:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<?php
echo " | " . "<a
href='http://www.carminerendina.com/'>Home</a>";
echo " | " . "<a href='http://www.carminerendina.com/Google
Search.php'>Google Search</a>";
echo " | " . "<a
href='http://www.carminerendina.com/Recieve_Mail.php'>MailBox</a>"
;
?>
<?php
echo " | "; ?>
<!-- < echo " | " . "<a
href='http://www.carminerendina.com/links.php'>Links</a>; -->
<span id="menulayer" style="position: relative; background-color:
white"><a href="http://carminerendina.com/Links.php"
onmouseover="showMenu(); return true"
onmouseout="initiateHideMenu(); return true">Links</a></span>
<div id="submenulayer" style="position: absolute; visibility:
hidden; background-color:#C0C0C0">
<!-- :#FF00FF :#C0C0C0" -->
<!-- <a href="http://www.carminerendina.com/"onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">item1</a><br> -->
<a href="http://www.carminerendina.com/MySoftware/Visual
%20Basic/VB%20Downloads/Download/" onmouseover="cancelCloseMenu()";
return true" onmouseout="initiateHideMenu(); return
true">Software</a><br>
<a href="http://www.carminerendina.com/MyMusic/Music%20Download/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Music</a><br>
<a href="http://www.carminerendina.com/MyBooks/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Books</a><br>
<a href="http://www.carminerendina.com/MyArtWork/Art
%20Gallery/Gallery/show.php" onmouseover="cancelCloseMenu()";
return true" onmouseout="initiateHideMenu(); return
true">Artrwork</a><br>
<a href="http://www.carminerendina.com/Blog/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Blog</a><br>
<a href="http://www.carminerendina.com/download_page.php"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Downloads</a><br>
<a href="http://carminerendina.com/Backoffce/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Backoffice</a><br>

```

```

</div>
<?php echo " | " . "<a
href='http://www.carminerendina.com/About.php'>About</a>" . " ";?>
<script>
function initKLayers(){
isDOM=document.getElementById?true:false
isOpera=isOpera5=window.opera && isDOM
isOpera6=isOpera && window.print
isOpera7=isOpera && document.readyState
isMSIE=isIE=document.all && document.all.item && !isOpera
isStrict=document.compatMode=='CSS1Compat'
isNN=isNC=navigator.appName=="Netscape"
isNN4=isNC4=isNN && !isDOM
isMozilla=isNN6=isNN && isDOM
if(!isDOM && !isNC && !isMSIE && !isOpera){
KLayers=false
return false
}pageLeft=0
pageTop=0
KL_imgCount=0
KL_imgArray=new Array()
KL_imageRef="document.images[\"\"
KL_imagePostfix="\\"
KL_styleSwitch=".style"
KL_layerPostfix="\\"
if(isNN4){
KL_layerRef="document.layers[\"\"
KL_styleSwitch=""
}
if(isMSIE){
KL_layerRef="document.all[\"\"
}
if(isDOM){
KL_layerRef="document.getElementById[\"\"
KL_layerPostfix="\\"
}
KLayers=true
return true
}
initKLayers()
// document and window functions:
function KL_getBody(w){
if(!w) w=window
if(isStrict){
return w.document.documentElement
}else{
return w.document.body
}
}
function getWindowLeft(w){
if(!w) w=window
if(isMSIE || isOpera7) return w.screenLeft
if(isNN || isOpera) return w.screenX
}
function getWindowTop(w){
if(!w) w=window
if(isMSIE || isOpera7) return w.screenTop
if(isNN || isOpera) return w.screenY
}
function getWindowWidth(w){
if(!w) w=window
if(isMSIE) return KL_getBody(w).clientWidth
if(isNN || isOpera) return w.innerWidth
}
function getWindowHeight(w){
if(!w) w=window
if(isMSIE) return KL_getBody(w).clientHeight
if(isNN || isOpera) return w.innerHeight
}
function getDocumentWidth(w){
if(!w) w=window
if(isMSIE || isOpera7) return KL_getBody(w).scrollWidth
if(isNN) return w.document.width
if(isOpera) return w.document.body.style.pixelWidth
}
function getDocumentHeight(w){
if(!w) w=window
if(isMSIE || isOpera7) return KL_getBody(w).scrollHeight
if(isNN) return w.document.height
if(isOpera) return w.document.body.style.pixelHeight
}
function getScrollX(w){
if(!w) w=window
if(isMSIE || isOpera7) return KL_getBody(w).scrollLeft
if(isNN || isOpera) return w.pageXOffset
}
function getScrollY(w){
if(!w) w=window
if(isMSIE || isOpera7) return KL_getBody(w).scrollTop
if(isNN || isOpera) return w.pageYOffset
}
function preloadImage(imageFile){
KL_imgArray[KL_imgCount]=new Image()
KL_imgArray[KL_imgCount++].src=imageFile
}
var KL_LAYER=0
var KL_IMAGE=1

```

```

function KL_findObject(what,where,type){
var i,j,l,s
var len=eval(where+".length")
for(j=0;j<len;j++){
s=where+"["+j+"]".document.layers;if(type==KL_LAYER){
l=s+"\\"+what+"\\"}
}
if(type==KL_IMAGE){
i=where+"["+j+"]".document.images
l=i+"\\"+what+"\\"}
}
if(eval(l)) return l
l=KL_findObject(what,s,type)
if(l!="null") return l
}
return "null"
}
function KL_getObjectPath(name,parent,type){
var l=((parent && isNN4)?(parent+"."):(""))+((type==KL_LAYER)?
KL_layerRef:KL_imageRef)+name+((type==KL_LAYER)?
KL_layerPostfix:KL_imagePostfix)
if(eval(l))return l
if(!isNN4){
return l
}else{
return KL_findObject(name,"document.layers",type)
}
}
function layer(name){
return new KLayer(name,null)
}
function layerFrom(name,parent){
if(parent.indexOf("document.")<0) parent=layer(parent).path
return new KLayer(name,parent)
}
function image(name){
return new KImage(name,null)
}
function imageFrom(name,parent){
if(parent.indexOf("document.")<0) parent=layer(parent).path
return new KImage(name,parent)
}
// class "KLayer":
function KLayer(name,parent){
this.path=KL_getObjectPath(name,parent,KL_LAYER)
this.object=eval(this.path)
if(!this.object)return
this.style=this.css=eval(this.path+KL_styleSwitch)
}KLP=KLayer.prototype
KLP.isExist=KLP.exists=function(){
return (this.object)?true:false
}
function KL_getPageOffset(o){
var KL_left=0
var KL_top=0
do{
KL_left+=o.offsetLeft
KL_top+=o.offsetTop
}while(o=o.offsetParent)
return [KL_left, KL_top]
}
KLP.getLeft=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera) return o.offsetLeft-pageLeft
if(isNN4) return o.x-pageLeft
}
KLP.getTop=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera) return o.offsetTop-pageTop
if(isNN4) return o.y-pageTop
}
KLP.getAbsoluteLeft=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera) return KL_getPageOffset(o)
[0]-pageLeft
if(isNN4) return o.pageX-pageLeft
}
KLP.getAbsoluteTop=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera) return KL_getPageOffset(o)
[1]-pageTop
if(isNN4) return o.pageY-pageTop
}
KLP.getWidth=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera7) return o.offsetWidth
if(isOpera) return this.css.pixelWidth
if(isNN4) return o.document.width
}
KLP.getHeight=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera7) return o.offsetHeight
if(isOpera) return this.css.pixelHeightif(isNN4) return o.document.height
}
KLP.getZIndex=function(){ //deprecated
return this.css.zIndex
}

```

```

}
KLP.setLeft=KLP.moveX=function(x){
x+=pageLeft
if(isOpera){
this.css.pixelLeft=x
}else if(isNN4){
this.object.x=x
}else{
this.css.left=x+"px"
}
}
KLP.setTop=KLP.moveY=function(y){
y+=pageTop
if(isOpera){
this.css.pixelTop=y
}else if(isNN4){
this.object.y=y
}else{
this.css.top=y+"px"
}
}
KLP.moveTo=KLP.move=function(x,y){
this.setLeft(x)
this.setTop(y)
}
KLP.moveBy=function(x,y){
this.moveTo(this.getLeft()+x,this.getTop()+y)
}
KLP.setZIndex=KLP.moveZ=function(z){ //depreacted
this.css.zIndex=z
}
KLP.setVisibility=function(v){
this.css.visibility=(v)?(isNN4?"show":"visible"):
(isNN4?"hide":"hidden")
}
KLP.show=function(){
this.setVisibility(true)
}
KLP.hide=function(){
this.setVisibility(false)
}
KLP.isVisible=KLP.getVisibility=function(){
return (this.css.visibility.toLowerCase().charAt(0)!='h')?
false:true
}
KLP.setBgColor=function(c){
if(isMSIE || isMozilla || isOpera7){
this.css.backgroundColor=c
}else if(isOpera){
this.css.background=c
}else if(isNN4){
this.css.bgColor=c
}
}
KLP.setBgImage=function(url){
if(isMSIE || isMozilla || isOpera6){
this.css.backgroundImage="url("+url+)"
}else if(isNN4){
this.css.background.src=url
}
}
KLP.setClip=KLP.clip=function(top,right,bottom,left){
if(isMSIE || isMozilla || isOpera7){
this.css.clip="rect("+top+"px "+right+"px "+bottom+"px
"+left+"px)"
}else if(isNN4){
var c=this.css.clip
c.top=top
c.right=right
c.bottom=bottom
c.left=left
}
}
KLP.scrollTo=KLP.scroll=function(windowLeft>windowTop>windowWidth,
>windowHeight,scrollX,scrollY){
if(scrollX>this.getWidth()-windowWidth) scrollX=this.getWidth()-
>windowWidth
if(scrollY>this.getHeight()-windowHeight)
scrollY=this.getHeight()-windowHeight
if(scrollX<0)scrollX=0
if(scrollY<0)scrollY=0
var top=0
var right>windowWidth
var bottom>windowHeight
var left=0
left=left+scrollX
right=right+scrollX
top=top+scrollYbottom=bottom+scrollY
this.moveTo(windowLeft-scrollX>windowTop-scrollY)
this.setClip(top,right,bottom,left)
}
KLP.scrollBy=KLP.scrollByOffset=function(windowLeft>windowTop>wind
owWidth>windowHeight,scrollX,scrollY){
var X=-parseInt(this.css.left)+windowLeft+scrollX
var Y=-parseInt(this.css.top)+windowTop+scrollY
this.scroll(windowLeft>windowTop>windowWidth>windowHeight,X,Y)
}

```

```

KLP.scrollByPercentage=function(windowLeft,windowTop,windowWidth,w
indowHeight,scrollX,scrollY){
var X=(this.getWidth()-windowWidth)*scrollX/100
var Y=(this.getHeight()-windowHeight)*scrollY/100
this.scroll(windowLeft,windowTop,windowWidth,windowHeight,X,Y)
}
KLP.write=function(str){
var o=this.object
if(isNN4){
var d=o.document
d.open()
d.write(str)
d.close()
}else{
o.innerHTML=str
}
}
KLP.add=function(str){
var o=this.object
if(isNN4){
o.document.write(str)
}else{
o.innerHTML+=str
}
}
// class "KImage":
KIP=KImage.prototype
function KImage(name){
this.path=KL_getObjectPath(name,false,KL_IMAGE)
this.object=eval(this.path)
}
KIP.isExist=KIP.exists=function(){
return (this.object)?true:false
}KIP.getSrc=KIP.src=function(){
return this.object.src
}
KIP.setSrc=KIP.load=function(url){
this.object.src=url
}
</script>
<script>
function cancelCloseMenu(){
if(self.tm) clearTimeout(tm) // cancel delayed closing
}
function showMenu(){
if(!self.menu || !self.submenu){
menu=layer("menulayer")
submenu=layer("submenulayer")
}
cancelCloseMenu()
submenu.moveTo(menu.getAbsoluteLeft(), menu.getAbsoluteTop() +
menu.getHeight()) // move second menu relatively
submenu.show()
}
function initiateHideMenu(){
tm=setTimeout("hideMenu()",1000) // 1 second delay to close a
submenu
}
function hideMenu(){
submenu.hide()
}
</script>
</html>

```

Calendar (separated):

```

<?php
function generate_calendar($year, $month, $days = array(),
$day_name_length = 3, $month_href = NULL, $first_day = 0, $pn =
array())
{
$first_of_month = gmmktime(0,0,0,$month,1,$year);$day_names = array(); #generate all the day names according to
the current locale
for($n=0,$t=(3+$first_day)*86400; $n<7; $n++,$t+=86400)
$day_names[$n] = ucfirst(gmstrftime('%A',$t));
list($month, $year, $month_name, $weekday) =
explode(' ', gmstrftime('%m,%Y,%B,%w', $first_of_month));
$weekday = ($weekday + 7 - $first_day) % 7;
$title
= htmlentities(ucfirst($month_name)).'&nbsp;'.$year;
@list($p, $pl) = each($pn); @list($n, $nl) = each($pn);
if($p) $p = '<span class="calendar-prev">'.($pl ? '<a
href="" .htmlspecialchars($pl).'">'. $p.'</a>' :
$pl).'</span>&nbsp;';
if($n) $n = '&nbsp;.<span class="calendar-next">'.($nl ? '<a
href="" .htmlspecialchars($nl).'">'. $n.'</a>' : $nl).'</span>';
$calendar = '<table class="calendar">'. "\n".
'<caption class="calendar-month">'. $p.($month_href ? '<a
href="" .htmlspecialchars($month_href).'">'. $title.'</a>' :
$title). $n.'</caption>\n<tr>';
if($day_name_length){ #if the day names should be shown
($day_name_length > 0)
foreach($day_names as $d)
$calendar .= '<th
abbr="" .htmlentities($d).'">'.htmlentities($day_name_length < 4 ?
substr($d,0,$day_name_length) : $d).'</th>';

```



```

}
else
{
echo "<form method='post' action='Recieve_Mail.php'>
<table border = 0>
<tr>
<td>
From:</tr><td><input name='email' type='text' title='Insert your
email address here' size='51'/></td>
</tr>
<tr>
<td>
Subject:</tr><td><input name='subject' type='text'
title='subject' size='51'/>
</td>
</tr>
<tr>
<td>
<textarea name='message' title='Message' rows='15' cols='40'>
</textarea><br /><tr><td>
<br />
</td>
</tr>
<tr>
<td>
<input type='submit' value='Send Mail' title='Send Mail'/><br></td>
</tr>
</table>
</form>";
}
?>
<?php
echo '</p>';
?>
<br><hr><br>

```

Download:

```

<?php
// place this code inside a php file and call it f.e.
// "download.php" in this case Download_LeHippo.php
$path = $_SERVER['DOCUMENT_ROOT']."/"; // change the path to fit your websites document structure
$fullPath = $path.$_GET['download_file'];
if ($fd = fopen ($fullPath, "r")) {
$size = filesize($fullPath);
$path_parts = pathinfo($fullPath);
$ext = strtolower($path_parts["extension"]);
switch ($ext) {
case "pdf":
header("Content-type: application/pdf"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "txt":
header("Content-type: application/txt"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "doc":
header("Content-type: application/doc"); // add here moreheaders for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "jpg":
header("Content-type: application/jpg"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "mp3":
header("Content-type: application/mp3"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".

```

```

$PATH_parts["basename"]."\"); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$PATH_parts["basename"]."\");
case "zip":
header("Content-type: application/zip"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$PATH_parts["basename"]."\"); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$PATH_parts["basename"]."\");
}
header("Content-length: $filesize");
header("Cache-control: private"); //use this to open files
directly
while(!feof($fd)) {
$buffer = fread($fd, 2048);echo $buffer;
}
}
fclose ($fd);
exit;
// example: place this kind of link into the document where the file download is offered:
// <a href="Download_LeHippo.php.php?download_file=LeHippoParisienne.mp3">Download here</a>
?>

```

Download Page:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<?php require 'menu.php';?>
<?php require 'cr.php';?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb2","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb2",$conn);
if(!$db)
{
echo mysql_error();}
$q = "SELECT * FROM download_page";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
echo "<tr>";
echo "<td>";
echo "</br>";
echo "<a href='{ $row['url'] }'><img src = 'dl.jpg' width='55'
height='53'></a>&nbsp;&nbsp;&nbsp;";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td align=center>";
echo $row['title'] . "&nbsp;&nbsp;&nbsp;";
echo "</br>";
echo "</td>";
echo "</tr>";
echo "</table>\n";
}
}
else
{
echo mysql_error();
}
?>

```

```

<?php // echo "<br><hr><br>"; ?>Photo:
<?php echo "<br><hr>"; ?>
<?php
echo '
<p align="right">

';
?>
<?php echo "<br><hr><br>"; ?>

```

Folder Blog:

index:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>

Carmine Rendina - Blog

</title>
</head><body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<div id="main">
<div id="blogPosts">
</div>
</div>
<?php
include 'include.php';
$blogPosts = GetBlogPosts();
foreach ($blogPosts as $post)
{
echo "<b>" . "Message:" . "</b>" . "<div class='post'>";
echo "<p>" . $post->email . "</p>";
echo "<p>" . $post->post . "</p>";
echo "<p>" . $post->date_posted . "</p>";
echo "</div>";
echo "<hr>";
}
?>
<?php
$result = mysql_query("SELECT * FROM blog_posts");
while($row = mysql_fetch_array($result))
{
echo "<br>";
echo '<b>' . 'Reply to:' . '</b>' . ' ' . $row['email'] . ' ' .
'<br><br>' . ' Date posted: ' . $row['date_posted'];
echo '<br><br>' . 'Post: ' . $row['post'];
echo "<br><br>";
echo '<b>' . 'Answer:' . '</b>' . ' ' . '<br><br>' . $row['reply'];
echo "<br><br><hr>";}
?>
<script language = "JavaScript">
function UrlNavigation(URL)
{
location.href = URL;
}
</script>
<table border="0" align="right">
<tr>
<td>
<p align="center">
<input type = "button" value = "
Post a comment
" onClick =
"UrlNavigation('http://www.carminerendina.com/Blog/Insert
Comment/')">
</td>
</tr>
</table>
</body>
</head>
</html>

```

Menu:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;

```

```

}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style></head>
</html>
<?php
echo " | " . "<a
href='http://www.carminerendina.com/'>Home</a>";
echo " | " . "<a href='http://www.carminerendina.com/Google
Search.php'>Google Search</a>";
echo " | " . "<a
href='http://www.carminerendina.com/Recieve_Mail.php'>MailBox</a>"
;
?>
<?php
echo " | "; ?>
<span id="menulayer" style="position: relative; background-color:
white"><a href="http://carminerendina.com/Links.php"
onmouseover="showMenu(); return true"
onmouseout="initiateHideMenu(); return true">Links</a></span>
<div id="submenu" style="position: absolute; visibility:
hidden; background-color:#C0C0C0">
<a href="http://www.carminerendina.com/MySoftware/Visual
%20Basic/VB%20Downloads/Download/" onmouseover="cancelCloseMenu();
return true" onmouseout="initiateHideMenu(); return
true">Software</a><br>
<a href="http://www.carminerendina.com/MyMusic/Music%20Download/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Music</a><br>
<a href="http://www.carminerendina.com/MyBooks/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Books</a><br>
<a href="http://www.carminerendina.com/MyArtWork/Art
%20Gallery/Gallery/show.php" onmouseover="cancelCloseMenu();
return true" onmouseout="initiateHideMenu(); return
true">Artrwork</a><br>
<a href="http://www.carminerendina.com/Blog/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Blog</a><br>
<a href="http://www.carminerendina.com/download page.php"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Downloads</a><br>
<a href="http://carminerendina.com/Backoffice/"
onmouseover="cancelCloseMenu(); return true"
onmouseout="initiateHideMenu(); return true">Backoffice</a><br></div>
<?php echo " | " . "<a
href='http://www.carminerendina.com/About.php'>About</a>" . " ";?>
<script>
function initKLayers(){
isDOM=document.getElementById?true:false
isOpera=isOpera5=window.opera && isDOM
isOpera6=isOpera && window.print
isOpera7=isOpera && document.readyState
isMSIE=isIE=document.all && document.all.item && !isOpera
isStrict=document.compatMode=='CSS1Compat'
isNN=isNC=navigator.appName=="Netscape"
isNN4=isNC4=isNN && !isDOM
isMozilla=isNN6=isNN && isDOM
if(!isDOM && !isNC && !isMSIE && !isOpera){
KLayers=false
return false
}
pageLeft=0
pageTop=0
KL_imgCount=0
KL_imgArray=new Array()
KL_imageRef="document.images["
KL_imagePostfix="\]"
KL_styleSwitch=".style"
KL_layerPostfix="\]"
if(isNN4){
KL_layerRef="document.layers["
KL_styleSwitch=""
}
if(isMSIE){
KL_layerRef="document.all["
}
if(isDOM){
KL_layerRef="document.getElementById(\"
KL_layerPostfix="\)"
}
KLayers=true
return true
}initKLayers()
// document and window functions:
function KL_getBody(w){
if(!w) w=window
if(isStrict){
return w.document.documentElement

```

```

}else{
return w.document.body
}
}
function getWindowLeft(w){
if(!w) w=window
if(isMSIE || isOpera7) return w.screenLeft
if(isNN || isOpera) return w.screenX
}
function getWindowTop(w){
if(!w) w=window
if(isMSIE || isOpera7) return w.screenTop
if(isNN || isOpera) return w.screenY
}
function getWindowWidth(w){
if(!w) w=window
if(isMSIE) return KL_getBody(w).clientWidth
if(isNN || isOpera) return w.innerWidth
}
function getWindowHeight(w){
if(!w) w=window
if(isMSIE) return KL_getBody(w).clientHeight
if(isNN || isOpera) return w.innerHeight
}
function getDocumentWidth(w){
if(!w) w=window
if(isMSIE || isOpera7) return KL_getBody(w).scrollWidth
if(isNN) return w.document.width
if(isOpera) return w.document.body.style.pixelWidth
}
function getDocumentHeight(w){
if(!w) w=window
if(isMSIE || isOpera7) return KL_getBody(w).scrollHeight
if(isNN) return w.document.height
if(isOpera) return w.document.body.style.pixelHeight
}
function getScrollX(w){
if(!w) w=windowif(isMSIE || isOpera7) return KL_getBody(w).scrollLeft
if(isNN || isOpera) return w.pageXOffset
}
function getScrollY(w){
if(!w) w=window
if(isMSIE || isOpera7) return KL_getBody(w).scrollTop
if(isNN || isOpera) return w.pageYOffset
}
function preloadImage(imageFile){
KL_imgArray[KL_imgCount]=new Image()
KL_imgArray[KL_imgCount++].src=imageFile
}
var KL_LAYER=0
var KL_IMAGE=1
function KL_findObject(what,where,type){
var i,j,l,s
var len=eval(where+".length")
for(j=0;j<len;j++){
s=where+"["+j+"]".document.layers"
if(type==KL_LAYER){
l=s+"\\""+what+"\\""}
}
if(type==KL_IMAGE){
i=where+"["+j+"]".document.images"
l=i+"\\""+what+"\\""}
}
if(eval(l)) return l
l=KL_findObject(what,s,type)
if(l!="null") return l
}
return "null"
}
function KL_getObjectPath(name,parent,type){
var l=((parent && isNN4)?(parent+"."):"")+((type==KL_LAYER)?
KL_layerRef:KL_imageRef)+name+((type==KL_LAYER)?
KL_layerPostfix:KL_imagePostfix)
if(eval(l))return l
if(!isNN4){
return l
}else{
return KL_findObject(name,"document.layers",type)
}
}
function layer(name){
return new KLayer(name,null)
}function layerFrom(name,parent){
if(parent.indexOf("document.")<0) parent=layer(parent).path
return new KLayer(name,parent)
}
function image(name){
return new KImage(name,null)
}
function imageFrom(name,parent){
if(parent.indexOf("document.")<0) parent=layer(parent).path
return new KImage(name,parent)
}
// class "KLayer":
function KLayer(name,parent){
this.path=KL_getObjectPath(name,parent,KL_LAYER)
}

```

```

this.object=eval(this.path)
if(!this.object)return
this.style=this.css=eval(this.path+KL_styleSwitch)
}
KLP=KLayer.prototype
KLP.isExist=KLP.exists=function(){
return (this.object)?true:false
}
function KL_getPageOffset(o){
var KL_left=0
var KL_top=0
do{
KL_left+=o.offsetLeft
KL_top+=o.offsetTop
}while(o=o.offsetParent)
return [KL_left, KL_top]
}
KLP.getLeft=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera) return o.offsetLeft-pageLeft
if(isNN4) return o.x-pageLeft
}
KLP.getTop=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera) return o.offsetTop-pageTop
if(isNN4) return o.y-pageTop
}
KLP.getAbsoluteLeft=function(){
var o=this.object;if(isMSIE || isMozilla || isOpera) return KL_getPageOffset(o)
[0]-pageLeft
if(isNN4) return o.pageX-pageLeft
}
KLP.getAbsoluteTop=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera) return KL_getPageOffset(o)
[1]-pageTop
if(isNN4) return o.pageY-pageTop
}
KLP.getWidth=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera7) return o.offsetWidth
if(isOpera) return this.css.pixelWidth
if(isNN4) return o.document.width
}
KLP.getHeight=function(){
var o=this.object
if(isMSIE || isMozilla || isOpera7) return o.offsetHeight
if(isOpera) return this.css.pixelHeight
if(isNN4) return o.document.height
}
KLP.getZIndex=function(){ //depreciated
return this.css.zIndex
}
KLP.setLeft=KLP.moveX=function(x){
x+=pageLeft
if(isOpera){
this.css.pixelLeft=x
}else if(isNN4){
this.object.x=x
}else{
this.css.left=x+"px"
}
}
KLP.setTop=KLP.moveY=function(y){
y+=pageTop
if(isOpera){
this.css.pixelTop=y
}else if(isNN4){
this.object.y=y
}else{
this.css.top=y+"px"
}
}
KLP.moveTo=KLP.move=function(x,y){this.setLeft(x)
this.setTop(y)
}
KLP.moveBy=function(x,y){
this.moveTo(this.getLeft()+x,this.getTop()+y)
}
KLP.setZIndex=KLP.moveZ=function(z){ //depreciated
this.css.zIndex=z
}
KLP.setVisibility=function(v){
this.css.visibility=(v)?(isNN4?"show":"visible"):
(isNN4?"hide":"hidden")
}
KLP.show=function(){
this.setVisibility(true)
}
KLP.hide=function(){
this.setVisibility(false)
}
KLP.isVisible=KLP.getVisibility=function(){
return (this.css.visibility.toLowerCase().charAt(0)=='h')?
false:true
}
}

```

```

KLP.setBgColor=function(c){
if(isMSIE || isMozilla || isOpera7){
this.css.backgroundColor=c
}else if(isOpera){
this.css.background=c
}else if(isNN4){
this.css.bgColor=c
}
}
KLP.setBgImage=function(url){
if(isMSIE || isMozilla || isOpera6){
this.css.backgroundImage="url("+url+)"
}else if(isNN4){
this.css.background.src=url
}
}
KLP.setClip=KLP.clip=function(top,right,bottom,left){
if(isMSIE || isMozilla || isOpera7){
this.css.clip="rect("+top+"px "+right+"px "+bottom+"px
"+left+"px)"
}else if(isNN4){var c=this.css.clip
c.top=top
c.right=right
c.bottom=bottom
c.left=left
}
}
KLP.scrollTo=KLP.scroll=function(windowLeft>windowTop>windowWidth,
>windowHeight,scrollX,scrollY){
if(scrollX>this.getWidth()-windowWidth) scrollX=this.getWidth()-
>windowWidth
if(scrollY>this.getHeight()-windowHeight)
scrollY=this.getHeight()-windowHeight
if(scrollX<0)scrollX=0
if(scrollY<0)scrollY=0
var top=0
var right>windowWidth
var bottom>windowHeight
var left=0
left=left+scrollX
right=right+scrollX
top=top+scrollY
bottom=bottom+scrollY
this.moveTo(windowLeft-scrollX>windowTop-scrollY)
this.setClip(top,right,bottom,left)
}
KLP.scrollBy=KLP.scrollByOffset=function(windowLeft>windowTop,wind
owWidth>windowHeight,scrollX,scrollY){
var X=-parseInt(this.css.left)+windowLeft+scrollX
var Y=-parseInt(this.css.top)+windowTop+scrollY
this.scroll(windowLeft>windowTop>windowWidth>windowHeight,X,Y)
}
KLP.scrollByPercentage=function(windowLeft>windowTop>windowWidth,w
indowHeight,scrollX,scrollY){
var X=(this.getWidth()-windowWidth)*scrollX/100
var Y=(this.getHeight()-windowHeight)*scrollY/100
this.scroll(windowLeft>windowTop>windowWidth>windowHeight,X,Y)
}
KLP.write=function(str){
var o=this.object
if(isNN4){
var d=o.document
d.open()
d.write(str)
d.close()
}else{
o.innerHTML=str
}
}KLP.add=function(str){
var o=this.object
if(isNN4){
o.document.write(str)
}else{
o.innerHTML+=str
}
}
// class "KImage":
KIP=KImage.prototype
function KImage(name){
this.path=KL_getObjectPath(name,false,KL_IMAGE)
this.object=eval(this.path)
}
KIP.isExist=KIP.exists=function(){
return (this.object)?true:false
}
KIP.getSrc=KIP.src=function(){
return this.object.src
}
KIP.setSrc=KIP.load=function(url){
this.object.src=url
}
</script>
<script>
function cancelCloseMenu(){
if(self.tm) clearTimeout(tm) // cancel delayed closing
}

```



```

function showMenu(){
if(!self.menu || !self.submenu){
menu=layer("menulayer")
submenu=layer("submenulayer")
}
cancelCloseMenu()
submenu.moveTo(menu.getAbsoluteLeft(), menu.getAbsoluteTop() +
menu.getHeight()) // move second menu relatively
submenu.show()
}
function initiateHideMenu(){
tm=setTimeout("hideMenu()",1000) // 1 second delay to close asubmenu
}
function hideMenu(){
submenu.hide()
}
</script></html>

```

include:

```

<?php
include 'blogpost.php';
$db = mysql_connect ("dbhost.com","carminedb2","Halloweenday31");
$dbdatabase = "carminedb2";
mysql_select_db($database, $db) or die ("<p class='error'>Sorry,
we were unable to connect to the database.</p>");
function GetBlogPosts($inId=null)
{
if (!empty($inId))
{
$query = mysql_query("SELECT * FROM blog_posts WHERE id =
" . $inId . " ORDER BY id DESC");
}
else
{
$query = mysql_query("SELECT * FROM blog_posts ORDER BY id
DESC");
}
$postArray = array();
while ($row = mysql_fetch_assoc($query))
{
$myPost = new BlogPost($row["id"], $row['email'],
$row['post'], $row['date_posted']);
array_push($postArray, $myPost);
}
return $postArray;
}
?>

```

Blogpost:

```

<?php
class BlogPost
{
function __construct($inId=null, $inMail=null, $inPost=null,
$inDatePosted=null)
{
if (!empty($inId))
{
$this->id = $inId;
}
if (!empty($inMail))
{
$this->email = $inMail;
}
if (!empty($inPost))
{
$this->post = $inPost;
}
if (!empty($inDatePosted))
{
$this->date_posted = $inDatePosted;
}
}
}
?>

```

html\Blog\Insert Comment folder

index:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;}
a:active {
COLOR: #000000;
}
</style>

```

```

<?php
// connect to database
require("db.php");
?>
<title>
Carmine Rendina - Blog [Insert comment]
</title>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php
// HTML UI Form
require("insert_form.php");
// close connection
mysql_close($db);
?>
<hr><br>
</body>
</head>
</html>

```

db:

```

<?php
// db.php file necessary to require function declared in index.php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb2","Halloweenday31");if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb2");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>

```

control panel:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Control panel blob</title></head>
<body>
<?php // require("menu.php");?>
<?php // require("cr.php");?>
<?php
echo '
<h4>Control Panel [blob]</h4>
<hr><br>
';
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
//require("insert_form.php");
require("reply_form.php");
echo '<hr><br>';
require("delete_form.php");
//require("search_form.php");
//main part
//require("main.php");
//close connection
//mysql_close($db);
?>
<br><hr>
</body>
</html>

```

Main:

```

<?php require ("db.php"); ?>

```



```

<p align="right">
<img src ="CR.jpg" width="200" height="100">
';
?>
<?php echo "<br><hr>"; ?>

```

html\MyBooks folder
index:

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
<title>Carmine Rendina Books</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php require("books.php"); ?></body>
</html>

```

Download:

```

<?php
// place this code inside a php file and call it f.e. "download.php" in this case Download_LeHippo.php
$path = $_SERVER['DOCUMENT_ROOT']."/MyBooks/"; // change the path to fit your websites document structure
$fullPath = $path.$_GET['download_file'];
if ($fd = fopen ($fullPath, "r")) {
$fsz = filesize($fullPath);
$path_parts = pathinfo($fullPath);
$ext = strtolower($path_parts["extension"]);
switch ($ext) {
case "pdf":
header("Content-type: application/pdf"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "txt":
header("Content-type: application/txt"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "doc":
header("Content-type: application/doc"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "jpg":
header("Content-type: application/jpg"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
downloadbreak;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "mp3":
header("Content-type: application/mp3"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download

```

```

break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
case "zip":
header("Content-type: application/zip"); // add here more
headers for diff. extensions
header("Content-Disposition: attachment; filename=\"".
$path_parts["basename"]."\""); // use 'attachment' to force a
download
break;
default;
header("Content-type: application/octet-stream");
header("Content-Disposition: filename=\"".
$path_parts["basename"]."\"");
}
header("Content-length: $fsize");
header("Cache-control: private"); //use this to open files
directly
while(!feof($fd) {
$buffer = fread($fd, 2048);
echo $buffer;
}
}
fclose ($fd);
exit;
// example: place this kind of link into the document where the file download is offered:
// <a href="Download_LeHippo.php.php?download_file=LeHippoParisienne.mp3">Download here</a>
?>

```

Books (old):

```

<html>
<head>
<style type="text/css">a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<body>
<table width="100%">
<tr>
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/The Ragamuffin/"><img
src ="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>The Ragamuffin</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/The Sacrifice of
Victor/"><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>The Sacrifice of Victor</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/Kira [The book of the
dreams]"><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>Kurosawa, the book of dreams</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/Adriane/"><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>Adriane [12 0' Clock.]</a></div></td>
<!--
</tr>
<tr>
-->
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/The New Yorker/"><img
src ="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>The New Yorker</a></div></td>
<td align="center"><a href="http://www.carminerendina.com/MyBooks/The infernal
machine/"><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>The infernal machine</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/Google, the book of
the coincidences/"><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>Google, the book of the
coincidences</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/The Sky in a
Room/"><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>The Sky in a Room</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/MyBooks/The truth/"><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"

```

```

height="50"><br>The truth</a></div></td>
<td><div align="center"><a
href="http://www.carminerendina.com/MyBooks/The best man [The book
of wisdom]"/><img src
="http://www.carminerendina.com/MyBooks/PDFimg.jpg" width="50"
height="50"><br>The best man [The book of wisdom]</a></div></td>
</tr>
</table>
<br><hr><br>
<?php
echo '<p align="center"> Copyright<img src ="c.jpg" width="10"
height="10">
2006 - 2013, All rights reserved.' ;
echo "<div align = center>";
//require ("like.php");
echo "</div>";
?>
</body>
</html>

```

MyBooks\Book_db:

```

index:<?php
echo '
<!DOCTYPE html>
<head>
<title>Colin McCormick Books</title>
<meta http-equiv="content-type" content="text/html;
charset=UTF-8">
</head>
<body>
<form action="add_file.php" method="post"
enctype="multipart/form-data">
<br>
<input type="file" name="uploaded_file"><br>
<br>
<input type="submit" value="Upload file">
</form>
<p>
<a href="list_files.php">See all files</a>
</p>
</body>
</html>
';
?>

```

menu: (same code, change path according)

add_file:

```

<?php
// Check if a file has been uploaded
if(isset($_FILES['uploaded_file'])) {
// Make sure the file was sent without errors
if($_FILES['uploaded_file']['error'] == 0) {
// Connect to the database
$dbLink = new
mysqli('dbhost.com','carminedb4','Halloweenday31', 'carminedb4');
if(mysqli_connect_errno()) {
die("MySQL connection failed: ".
mysqli_connect_error());
}
// Gather all required data
$name = $dbLink-
>real_escape_string($_FILES['uploaded_file']['name']);
$mime = $dbLink-
>real_escape_string($_FILES['uploaded_file']['type']);$data = $dbLink-
>real_escape_string(file_get_contents($_FILES ['uploaded_file']
['tmp_name']));
$size = intval($_FILES['uploaded_file']['size']);
// Create the SQL query
$query = "
INSERT INTO `booktable` (
`name`, `mime`, `size`, `data`, `created`
)
VALUES (
'{$name}', '{$mime}', {$size}, '{$data}', NOW()
)";
// Execute the query
$result = $dbLink->query($query);
// Check if it was successful
if($result) {
echo 'Success! Your file was successfully added!';
}
else {
echo 'Error! Failed to insert the file'
. "<pre>{$dbLink->error}</pre>";
}
}
else {
echo 'An error occured while the file was being uploaded.
'
. 'Error code: '. intval($_FILES['uploaded_file']
['error']);
}
// Close the mysql connection

```

```

$dbLink->close();
}
else {
echo 'Error! A file was not sent!';
}
// Echo a link back to the main page
echo '<p>Click <a href="index.php">here</a> to go back</p>';
?>

```

get_file:

```

<?php
// Make sure an ID was passed
if(isset($_GET['id'])) {
// Get the ID$id = intval($_GET['id']);
// Make sure the ID is in fact a valid ID
if($id <= 0) {
die('The ID is invalid!');
}
else {
// Connect to the database
$dbLink = new
mysqli('dbhost.com','carminedb4','Halloweenday31', 'carminedb4');
if(mysqli_connect_errno()) {
die("MySQL connection failed: ".
mysqli_connect_error());
}
// Fetch the file information
$query = "
SELECT `mime`, `name`, `size`, `data`
FROM `booktable`
WHERE `id` = {$id}";
$result = $dbLink->query($query);
if($result) {
// Make sure the result is valid
if($result->num_rows == 1) {
// Get the row
$row = mysqli_fetch_assoc($result);
// Print headers
header("Content-Type: ". $row['mime']);
header("Content-Length: ". $row['size']);
header("Content-Disposition: attachment;
filename=". $row['name']);
// Print data
echo $row['data'];
}
else {
echo 'Error! No image exists with that ID.';
}
// Free the mysqli resources
@mysqli_free_result($result);
}
else {
echo "Error! Query failed: <pre>{$dbLink-
>error}</pre>";
}
@mysqli_close($dbLink);
}
}
else {
echo 'Error! No ID was passed.';
}
?>

```

List_files:

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
<title>Carmine Rendina Books</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php //require("books.php"); ?>
<?php // echo "<br><hr><br>"; ?>
<?php
// Connect to the database
$dbLink = new mysqli('dbhost.com','carminedb4','Halloweenday31',
'carminedb4');
if(mysqli_connect_errno()) {

```



```

die("MySQL connection failed: ". mysqli_connect_error());
}
// Query for a list of all existing files
$sql = 'SELECT `id`, `name`, `mime`, `size`, `created` FROM
`booktable`';
$result = $dbLink->query($sql); // Check if it was successful
if($result) {
// Make sure there are some files in there
if($result->num_rows == 0) {
echo '<p>There are no files in the database</p>';
}
else {
// Print the top of a table
echo '<table width="100%">
<tr>
<td><b>Name</b></td>
<td><b>Type</b></td>
<td><b>Size (bytes)</b></td>
<td><b>Created</b></td>
<td><b>Open file</b></td>
<td><b>Download</b></td>
<td><b>&nbsp;</b></td>
</tr>';
// Print each file
while($row = $result->fetch_assoc()) {
echo "
<tr>
<td>{$row['name']}</td>
<td>{$row['mime']}</td>
<td>{$row['size']}</td>
<td>{$row['created']}</td>
<td><a href='{$row['name']}'><img src
='http://www.carminerendina.com/MyBooks/Book_db/PDFimg_.jpg'
width='30' height='30'></a></td>
<td><a href='get_file.php?
id={$row['id']}'><img src
='http://www.carminerendina.com/MyBooks/Book_db/PDFimg.jpg'
width='35' height='35'><br><br></a></td>
</tr>";
}
// Close table
echo '</table>';
}
// Free the result
$result->free();
}
else{
echo 'Error! SQL query failed:';
echo "<pre>{$dbLink->error}</pre>";
}
// Close the mysql connection
$dbLink->close();
?>
<br><hr><br>
<?php
echo '<p align="center"> Copyright<img src ="c.jpg" width="10"
height="10">
2006 - 2013, All rights reserved.' ;
?>
</body>
</html>

```

html\MyBooks\Book_db\Delete:
index:

```

<?php
//connect to database
require("db.php");
//this displays the insert update and delete form
require("delete_form.php");
//main part [Display data]
require("main.php");
//close connection
mysql_close($db);
?>

```

main:

```

<?php
//Main Php file necessary to require function declared in index.php$x = "SELECT * FROM booktable";
$display = mysql_query($x);
echo "<table>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td> {$var['id']} </td>
<td> {$var['name']} </td>
</tr>\n";
};
echo "</table>\n";
?>

```

db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb4","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb4");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>
```

delete:

```
<?php
//connect to database
require("db.php");
$x1 = intval($_POST['delete']);
$super_engine = "DELETE FROM booktable WHERE id={$x1}";
mysql_query($super_engine);
header("Location: index.php");
?>
```

delete_form:

```
<?php
echo "
<script type='text/javascript'></script>
<fieldset>
<legend>Delete record</legend>
<form method='POST' action='delete.php'>
&nbsp;
<input type='text' name='delete' size='10' />
<input type='submit' onClick = 'javascript: return confirm(\"Are
you sure?\");' value='Delete record' />
</form>
</fieldset>";
echo "<br>";
?>
```

html\MyArtWork\Art Gallery\Gallery
OPTIMAL SIZE [280X245]

db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb1","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The Database connection has been established
successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb1");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>
```

control_panel:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
```



```

<td></td><td><input type=submit name="submit" value="Store
Information"></td>
</tr>
</table>
</form>
</body>
</html>

```

storeinfo:

```

<?php
ini_set('display_errors',1);
error_reporting(E_ALL);$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{
echo mysql_error();
}
$name = $_POST['aname'];
$date = $_POST['adate'];
$kind = $_POST['akind'];
$size = $_POST['asize'];
$photo = addslashes (file_get_contents($_FILES['aphoto']
['tmp_name']));
$image = getimagesize($_FILES['aphoto']['tmp_name']);//to know
about image type etc
$price = $_POST['aprice'];
$type = $image['mime'];
$q = "INSERT INTO image_table1 VALUES('','$name',
'$kind','$size','$date','$photo','$type','$price)";
$r = mysql_query($q,$conn);
if($r)
{
echo "Information stored successfully";
}
else
{
echo mysql_error();
}
?>

```

image:

```

<?php
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{
echo mysql_error();
}
$ano = $_GET['ano'];$q = "SELECT aphoto,aphototype FROM image_table1 where
ano='$ano'";
$r = mysql_query("$q",$conn);
if($r)
{
$row = mysql_fetch_array($r);
$type = "Content-type: ".$row['aphototype'];
header($type);
echo $row['aphoto'];
}
else
{
echo mysql_error();
}
?>

```

show:

```

<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM image_table1";

```

```

$r = mysql_query("$q", $conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "<tr>";
echo "</tr>";
echo "Title:&nbsp;";
" . $row['aname'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Year:&nbsp;";
" . $row['adate'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Type:&nbsp;";
" . $row['akind'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Size:&nbsp;";
" . $row['asize'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp;";
" . $row['aprice'] . ".000" . " $";
echo "</tr>";
echo "</tr>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']." width=400
height=400/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else{
echo mysql_error();
}
?>
<br><hr>
<?php //require("PayPal_button.php"); ?>
<?php //require("links.php"); ?>

```

show_by_name:

```

<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['aname'];
$q = "SELECT * FROM image_table1 WHERE aname = '$search'";
$r = mysql_query("$q", $conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";echo "<tr>";
echo "</tr>";
echo "Title:&nbsp;";
" . $row['aname'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Year:&nbsp;";
" . $row['adate'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Type:&nbsp;";
" . $row['akind'] . "<br>";

```

```

echo "</tr>";
echo "<tr>";
echo "Size:&nbsp;";
" . $row['asize']. "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp;";
"<br><br>";
" . $row['aprice'] . ".000" . " $" .
echo "</tr>";
echo "<tr>";
//IMPORTANT KEEP THIS FOR LATER DEVELOPMENT
// echo "<a href='business_.php?ano=".$row['ano']."' />" .
"Details" . "</a>";
//echo "</br>";
//echo "</br>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=300/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
}
}
else
{
echo mysql_error();
}??
<?php //require("PayPal_button.php"); ?>
<?php //require("links.php"); ?>

```

show_by_price:

```

<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['aprice'];
$q = "SELECT * FROM image_table1 WHERE aprice BETWEEN 1 AND
'$search' ORDER BY aprice ASC";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "<br>";
echo "</br>";
echo "Title:&nbsp;";
" . $row['aname'] . "<br>";echo "</tr>";
echo "<tr>";
echo "Year:&nbsp;";
" . $row['adate'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Type:&nbsp;";
" . $row['akind'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Size:&nbsp;";
" . $row['asize'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp;";
"<br><br>";
" . $row['aprice'] . ".000" . " $" .
echo "</tr>";
echo "<tr>";
//IMPORTANT KEEP THIS FOR LATER DEVELOPMENT
// echo "<a href='business_.php?ano=".$row['ano']."' />" .
"Details" . "</a>";
//echo "</br>";
//echo "</br>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300

```

```

height=300/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?><?php //require("PayPal_button.php"); ?>
<?php //require("links.php"); ?>

```

show_by_size:

```

<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['asize'];
$q = "SELECT * FROM image_table1 WHERE asize = '$search'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "<br>";
echo "Title:&nbsp;";
echo "</tr>";
echo "<tr>";
" . $row['aname'] . "<br>";echo "Year:&nbsp;";
" . $row['adate'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Type:&nbsp;";
" . $row['akind'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Size:&nbsp;";
" . $row['asize'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp;";
"<br><br>";
" . $row['aprice'] . ".000" . " $" .
echo "</tr>";
echo "<tr>";
//IMPORTANT KEEP THIS FOR LATER DEVELOPMENT
// echo "<a href='business_.php?ano=".$row['ano']."' />" .
"Details" . "</a>";
//echo "</br>";
//echo "</br>";
//echo "<br><br>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=300/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<?php //require("PayPal_button.php"); ?><?php //require("links.php"); ?>

```

show_by_type:

```

<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['akind'];
$q = "SELECT * FROM image_table1 WHERE akind = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "<br>";
echo "Title:&nbsp;";
echo "</tr>";
echo "<tr>";
" . $row['aname'] . "<br>";echo "Year:&nbsp;";
" . $row['adate'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Type:&nbsp;";
" . $row['akind'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Size:&nbsp;";
" . $row['asize'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp;";
"<br><br>";
" . $row['aprice'] . ".000" . " $" .
echo "</tr>";
echo "<tr>";
//IMPORTANT KEEP THIS FOR LATER DEVELOPMENT
// echo "<a href='business_.php?ano=".$row['ano']."' />" .
"Details" . "</a>";
//echo "</br>";
//echo "</br>";
//echo "<br><br>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']." width=300
height=300/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?><?php //require("PayPal_button.php"); ?>
<?php //require("links.php"); ?>

```

show_by_year:

```

<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb1","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb1",$conn);
if(!$db)
{

```



```

echo mysql_error();
}
$search = $_POST['adate'];
$q = "SELECT * FROM image_table1 WHERE adate = '$search'";
// = '$search';
$r = mysql_query("$q", $conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "</br>";echo "Title:&nbsp;";
" . $row['aname'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Year:&nbsp;";
" . $row['adate'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Type:&nbsp;";
" . $row['akind'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Size:&nbsp;";
" . $row['asize'] . "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp;";
"<br><br>";
" . $row['aprice'] . ".000" . " $" .
echo "</tr>";
echo "<tr>";
//IMPORTANT KEEP THIS FOR LATER DEVELOPMENT
// echo "<a href='business_.php?ano=".$row['ano']."' />" .
"Details" . "</a>";
//echo "</br>";
//echo "</br>";
//echo "<br><br>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=300/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{echo mysql_error();
}
?>
<?php //require("PayPal_button.php"); ?>
<?php //require("links.php"); ?>

```

update:

```

<?php
require("db.php");
echo "Thank you for submission ";
echo "<br>";
echo "<a href = 'control_panel.php'>Click here</a> to go back!";
echo "<br>";
$x1 = $_POST['ano'];
$x2 = $_POST['aname'];
$x3 = $_POST['adate'];
$x4 = $_POST['aprice'];
$x5 = $_POST['akind'];
$x6 = $_POST['asize'];
echo "<br>";
echo "You have submitted the following values:<br /> \n";
echo "<br>";
echo "Id: {$x1} <br /> \n";
echo "Address: {$x2} <br /> \n";
echo "Date: {$x3} <br /> \n";
echo "Price: {$x4} <br /> \n";
echo "Type: {$x5} <br /> \n";
echo "Size: {$x6} <br /> \n";
echo "<br>";
$super_engine = "
update image_table1 set aname = '$x2', adate = '$x3', aprice =
'$x4', akind = '$x5', asize = '$x6' where ano = '$x1';
";
//echo $super_engine;mysql_query($super_engine);
if(mysql_errno() !=0)
{
echo "Error <b>" . mysql_errno() . "</b>: " . mysql_error() . "<br
/>";
}

```


db:

```
<?php//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb2","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
// echo "The connection has been established successfully<br />";
echo "<br>";
// Use SQL Statement
mysql_query("use carminedb2");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
// echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>
```

index:

```
<?php require 'menu.php';?>
<?php require 'cr.php';?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb2","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb2",$conn);
if(!$db)
{
echo mysql_error();
}$q = "SELECT * FROM download_page";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
echo "<tr>";
echo "<td>";
echo "<br>";
echo "<a href='{ $row['url'] }'><img src = 'dl.jpg' width='55'
height='53'></a>&nbsp;&nbsp;&nbsp;";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td align=center>";
echo $row['title'] . "&nbsp;&nbsp;&nbsp;";
echo "<br>";
echo "</td>";
echo "</tr>";
echo "</table>\n";
}
}
else
{
echo mysql_error();
}
?>
<?php // echo "<br><hr><br>"; ?>
```

menu (same code, change path)**main:**

```
<?php
require "db.php";
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM download_page";
$display = mysql_query($x);
echo "<table border = '1'>\n";
echo "<tr><th>id</th><th>url</th><th>title</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td> { $var['id'] } &nbsp;&nbsp;&nbsp; </td>
<td> { $var['url'] } &nbsp;&nbsp;&nbsp; </td>
<td> { $var['title'] } &nbsp;&nbsp;&nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>
```



```

<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Carmine Rendina - Music Download</title>
</head>
<body>
<?php require("menu.php");?><?php require("cr.php");?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("delete_form.php");
require("search_form.php");
require("insert_form.php");
require("update_form.php");
//require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
mysql_close($db);
?>
</body>
</html>

```

db:

```

<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb3");if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>

```

Main:

```

<?php
$x = "SELECT * FROM Music";
$display = mysql_query($x);
echo "<table border = '1'>\n";
echo
"<tr><th>ID</th><th>Name</th><th>Lookup</th><th>Go</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td>
<td>
<td>
{$var['id']} &nbsp; </td>
{$var['name']} &nbsp; </td>
{$var['lookup']} &nbsp; </td>
{$var['go']} &nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>

```

insert:

```

<?php
require("db.php");
echo "Thank you for submission ";
echo "<br>";
echo "<a href = 'index.php'>Click here</a> to go back!";
echo "<br>";
$x1 = $_POST['id'];

```



```

<h4 align="center">
My Music File - 10
</h4>
';
?>
<hr><br>
<p align="center">
<audio controls="controls" height="30" width="300">
<source src="http://www.carminerendina.com/MyMusic/MyMusic
[0]/MyMusicFile.MP3" type="audio/mp3" />
<embed height="30" width="300"
src="http://www.carminerendina.com/MyMusic/MyMusic
[0]/MyMusicFile.MP3" />
</audio>
<br> <br><br><hr><br><br>
<script language="JavaScript">
function UrlNavigation(URL)
{
location.href = URL;
}
</script>
<table border="0" align="left">
<tr>
<td>
<p align="center"><input type="button" value="
onClick = "UrlNavigation('Download.php?
download_file=MyMusicFile.MP3')">
Download
"
</td>
</tr>
</table>
</body>
</head>
</html>
index:
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-
8">
<title>Carmine Rendina Music</title>
</head>
<body>
<?php
echo "| " . "<a
href='http://www.carminerendina.com/'>Home</a>";
echo "| "
Search</a>";
. "<a href='http://www.google.com/'>Google
echo "| " . "<a
href='http://www.carminerendina.com/Recieve_Mail.php'>MailBox</a>";
echo "| " . "<a
href='http://www.carminerendina.com/links.php'>Links</a>";
//echo "| " . "<a
href='http://www.carminerendina.com/Blob/DisplayBlobTable.php'>Gal
lery</a>" . " | ";
// echo "
" .
'Today: ' . date('Y-m-d') .
"
|
";?>
<?php echo "<br><hr><br>"; ?>
<?php
echo '
<p align="right">

</h4>
';
?>
<hr>
<br>
<?php
echo '
<p align="left">

';
?>
<hr><br><br>
<?php
echo '
<ul><li><a href="http://www.carminerendina.com/MyMusic/MyMusic
[0]/ MyMusicFile 1.php">MyMusicFile 1</li></ul></a>
<ul><li><a href="http://www.carminerendina.com/MyMusic/MyMusic
[0]/ MyMusicFile 2.php">MyMusicFile 2</li></ul></a>
<ul><li><a href="http://www.carminerendina.com/MyMusic/MyMusic
[0]/ MyMusicFile 3.php">MyMusicFile 3</li></ul></a>
<br><hr><br>
';
?></body>
</html>

```

html\MySoftware\Visual Basic\VB Downloads\Download

menu (same code, change path)

main:

```

<?php
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM ADownloads";
$display = mysql_query($x);echo "<table border = '1'>\n";
echo "<tr><th>ID</th><th>Name</th><th>Lookup</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td>{$var['id']} &nbsp; </td>
<td>{$var['name']} &nbsp; </td>
<td>{$var['lookup']} &nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>
db:
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb4","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . " : " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb4");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
}
else{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>

```

search:

```

<html>
<head>
<title>Carmin Rendina - Control Panel</title>
</head>
<body>
<?php
require("db.php");
$search = $_POST['name'];
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM ADownloads WHERE name = '$search'";
$display = mysql_query($x);
echo "<table border = '0'>\n";
//echo "<tr><th>ID</th><th>Name</th><th>Lookup</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td>{$var['id']} &nbsp; </td>
<td>{$var['name']} &nbsp; </td>
<td><a href='{$var['lookup']}'>{$var['name']} </a>
&nbsp; </td>
</tr>\n";
};
echo "</table>\n";?>
search_form:
<?php
echo "
<fieldset>
<legend> Search </legend>
<form action = 'search.php' method = 'POST'>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;Name: &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type = 'text'
name='name' />
<input type='submit' value='Search' />
</form>
</fieldset><br />
";
echo "<hr><br>";
require("search.php");
?>

```

insert:

```

<?php
require("db.php");
echo "Thank you for submission ";
echo "<br>";
echo "<a href = 'index.php'>Click here</a> to go back!";
echo "<br>";
$x1 = $_POST['id'];
$x2 = $_POST['name'];
$x3 = $_POST['lookup'];

```


delete:

```
<?php
//connect to database
require("db.php");
$x1 = intval($_POST['delete']);
$super_engine = "DELETE FROM A1Downloads WHERE id={$x1}";
mysql_query($super_engine);
header("Location: index.php");
?>

delete_form:
<?php
echo "
<script type='text/javascript'></script>
<fieldset>
<legend>Delete record</legend>
<form method='POST' action='delete.php'>
&nbsp;
<input type='text' name='delete' size='10' />
<input type='submit' onClick = 'javascript: return confirm(\"Are
you sure?\");' value='Delete record' />
</form>
</fieldset>
";echo "<br>";
?>
```

html\Backoffice\account_info

Control Panel:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Carmine Rendina - account info</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php require("db.php");
?>

<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("insert_form.php");
require("update_form.php");
require("delete_form.php");//require("search_form.php");
//main part
require("main.php");
//close connection
mysql_close($db);
?>
</body>
</html>
```

db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb6","Halloweenday77");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb6");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>
```

menu (same code, change path)

main:

```
<?php
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM Backoffice";
$display = mysql_query($x);
echo "<table border = '1'\n";
echo
"<tr><th>no</th><th>name</th><th>art</th><th>des</th><th>price</th>
<th>buy</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td>{$var['no']} &nbsp; </td>
<td>{$var['nm']} &nbsp; </td>
<td>{$var['art']} &nbsp; </td>
<td>{$var['des']} &nbsp; </td>
<td>{$var['price']} &nbsp; </td>
<td>{$var['buy']} &nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>
```

display:

```
<script type='text/javascript'></script>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb2","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb2",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM site_accounts_info";
$r = mysql_query($q,$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
echo "<tr>";
echo "<td>";
echo "</br>";
//echo "No: " . $row['ano'];
echo "<a href=' " . $row['adetails'] . "'>";
echo $row['aresidence'] . "</a>";
echo
"&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td>";
echo "Description: " . $row['alocation'];
echo
"&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td>";echo "Price: " . $row['acountry'];
echo
"&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td>";
echo "<a href=' " . $row['acountry'] . "'> . "Buy Now</a>";
echo "&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td>";
echo "<a href=' " . $row['atelephone'] . "'> . "Buy Now</a>";
echo "&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td>";
echo "<a href=' " . $row['amob'] . "'> . "Buy Now</a>";
echo "&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td>";
echo "</td>";
echo "</tr>";
}
```



```

mysql_errno() . " : " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb2");
if
(mysql_errno() != 0)
{echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>"; ?>

```

menu (same code, change path)

display:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<html>
<head>
</head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;}
</style>
<script type='text/javascript'></script>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn =
mysql_connect("carminedb2.db.7102590.hostedresource.com","carminedb2","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb2",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM site_accounts_info";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
echo "<tr>";
echo "<td>";
echo "Name: &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;" . "</td><td>" . $row['aname'] . "<br>";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td>";
echo "Title: &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;" . "</td><td>" . $row['atitle'] .
"<br>";
echo "</td>";
echo "</tr>";echo "<tr>";
echo "<td>";
echo "<a href = 'http://www.carminerendina.com/Map.html'>" .
"Address" . "</a>" . " : &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;" . "</td><td>" .
$row['adetails'] . " , &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;" . $row['aresidence'] . " , &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;" .
$row['alocation'] . " , &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;" . $row['acounty'] . " , &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;" .
$row['acountry'] ;
echo

```



```

</td></td><input type="submit" name="submit" value="Store
Information"></td>
</tr>
</table>
</form>
</body>
</html>

```

storeinfo(same code of art gallery, change db)

```

<?php
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{
echo mysql_error();
}
$name = $_POST['aname'];
$adetails = $_POST['adetails'];
$ahyperlink = $_POST['ahyperlink'];
$aalbum = $_POST['aalbum'];
$atitle = $_POST['atitle'];
$aphoto = addslashes (file_get_contents($_FILES['aphoto']
['tmp_name']));
$image = getimagesize($_FILES['aphoto']['tmp_name']);//to knowabout image type etc
$imgtype = $image['mime'];
$q = "INSERT INTO musicdata2
VALUES('','$name','$adetails','$aphoto','$imgtype','$ahyperlink',
'aalbum','$atitle')";
$r = mysql_query($q,$conn);
if($r)
{
echo "Information stored successfully";
}
else
{
echo mysql_error();
}
?>

```

image(same code of art gallery, change db)

control_panel:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Control panel Video List</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php echo '
<h4>Control Panel [Video List]</h4>
<hr><br>
';
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("insert_form.php");
require("update_form.php");
require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
//mysql_close($db);
?>
<br><hr>
</body>
</html>

```

db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};// echo "The connection has been established successfully<br />";
echo "<br>";
// Use SQL Statement
mysql_query("use carminedb3");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
// echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>
```

index:

```
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
<title></title>
</head>
<body>
<?php
// put your code here
require 'show.php';
?>
</body>
</html>
```

show:

```
<?php require 'menu.php';?>
<?php require 'cr.php';?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM musicdata2";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=center>\n";
echo "<tr>";
echo "<td>";
echo "<br>";
echo "Name: " . $row['aname'];
echo "<br>";
echo "Details: " . $row['adetails'];
echo "<br>";
echo "Album: " . $row['aalbum'];
echo "<br>";
echo "Track: " . $row['atitle'];
echo "<br>";
echo "<br>";
echo "</td>";
echo "</tr>";
echo "<tr>";
echo "<td align=center>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<a href='{$row['ahyperlink']}'><img src=image.php?ano=".$
$row['ano']."' width=300 height=300/></a><br>";
echo "<!--
<audio controls='controls' height='30' width='300'>
<source src='{$row['ahyperlink']}' type='audio/mp3' />
<embed height='40' width='300' src='{$row['ahyperlink']}' />
</audio>
-->";
echo "</td>";
echo "</tr>";
echo "</table>\n";
```



```

<?php
//connect to database
require("db.php");
$x1 = intval($_POST['delete']);
$super_engine = "DELETE FROM stream WHERE id={$x1}";
mysql_query($super_engine);
header("Location: index.php");
?>

```

delete_form:

```

<?php
echo "
<script type='text/javascript'></script>
<fieldset>
<legend>Delete record</legend><form method='POST' action='delete.php'>
&nbsp;
<input type='text' name='delete' size='10' />
<input type='submit' onClick = 'javascript: return confirm(\"Are
you sure?\");' value='Delete record' />
</form>
</fieldset>
";
echo "<br>";
?>

```

html\Backoffice\Media Management

Project\Media_Management_Project_Stream2\Televison

Control Panel:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Carmine Rendina - Downloads</title>
</head>
<body>
<?php require("menu.php");?>
<?php // require("cr.php");?><?php require("db.php");
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("insert_form.php");
require("update_form.php");
require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
mysql_close($db);
?>
</body>
</html>

```

db:

```

<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statementmysql_query("use carminedb3");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>

```



```

<tr>
<td></td><td><input type=submit name="submit" value="Store
Information"></td>
</tr>
</table>
</form>
</body>
</html>

```

storeinfo(same code of art gallery, change db)

```

<?php
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{
echo mysql_error();
}
$name = $_POST['aname'];
$details = $_POST['adetails'];
$hyperlink = $_POST['ahyperlink'];
$album = $_POST['aalbum'];
$title = $_POST['atitle'];
$photo = addslashes (file_get_contents($_FILES['aphoto']
['tmp_name']));
$image = getimagesize($_FILES['aphoto']['tmp_name']);//to know
about image type etc
$imgtype = $image['mime'];
$q ="INSERT INTO musicdata2
VALUES('','$name','$details','$photo','$imgtype','$hyperlink',
'aalbum','$title)";
$r = mysql_query($q,$conn);if($r)
{
echo "Information stored successfully";
}
else
{
echo mysql_error();
}
?>

```

image(same code of art gallery, change db)

control_panel:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Control panel Video List</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php
echo '
<h4>Control Panel [Video List]</h4>
<hr><br>
';?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("insert_form.php");
require("update_form.php");
require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
//mysql_close($db);
?>
<br><hr>
</body>
</html>

```

db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
// echo "The connection has been established successfully<br />";
echo "<br>";
// Use SQL Statementmysql_query("use carminedb3");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
// echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>
```

index:

```
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
<title></title>
</head>
<body>
<?php
// put your code here
require 'show.php';
?>
</body>
</html>
```

main:

```
<?php
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM musicdata";
$display = mysql_query($x);
echo "<table border = '1'>\n";
echo
"<tr><th>ano</th><th>aname</th><th>adetails</th><th>aphototype</th>
<th>ahyperlink</th><th>aalbum</th><th>atitle</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td> {$var['ano']} &nbsp; </td>
<td> {$var['aname']} &nbsp; </td>
<td> {$var['adetails']} &nbsp; </td>
<!-- <td> {$var['aphoto']} &nbsp; </td> -->
<td> {$var['aphototype']} &nbsp; </td>
<td> {$var['ahyperlink']} &nbsp; </td>
<td> {$var['aalbum']} &nbsp; </td>
<td> {$var['atitle']} &nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>
```

show:

```
<?php require 'menu.php';?>
<?php require 'cr.php';?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM musicdata";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=center>\n";
echo "<tr>";echo "<td>";
```



```



```

html\Backoffice\Real Estate Agency Management Project

Home:

```

<?php require("menu.php");?>
<?php //require("searcher.php");?>
<?php require("cr.php");?>
<?php
echo '
<p align="center">
<img src ="logo.gif" width="1100" height="400">
<hr>
';
?>
<?php // require("pay_pal.php");?>
<?php require("links.php");?>

```

menu (same code, change path)

Links:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<body>
<?php
echo '<table width="100%">
<tr>
<td align="center"><a
href="http://carminerendina.com/Backoffice/Real%20Estate%20Agency
%20Management%20Project/Real_Estate_1/show.php">FOR
SALE</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management%20Project/Real_Estate_5/show.php">FOR
RENT</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_4/show.php">LAND</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_6/show.php">HOLIDAY</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_3/show.php">BUSINESS</a></div></td>
</tr>
</table>
<br><hr><br>
';
?>
</body>
</html>

```

menu(same code, change path)

Upload_Image(same code of art gallery, change db)

```

<html>
<title>House Information </title>
<body>
<form enctype="multipart/form-data" action="storeinfo.php"
method="POST">
<table border=0 align=center bgcolor=white width=100%>
<tr><td colspan=2><h2>&nbsp;</h2></td></tr>
</table><table border=0 align=center bgcolor=white>
<tr><td colspan=2><h2>Real Estate Agency Management
Project</h2><hr><br></td></tr>
<tr>
<td>House Address</td><td><input type=text name="aname"></td>

```



```

</tr>
<tr>
<td>Location</td><td><input type="text" name="alocation"></td>
</tr>
<tr>
<td>County</td><td><input type="text" name="acounty"></td>
</tr>
<tr>
<td>Country</td><td><input type="text" name="acountry"></td>
</tr>
<tr>
<td>Number of Bedrooms</td><td><input type="text"
name="arooms"></td>
</tr>
<tr>
<td>House Description</td><td><input type="text"
name="adetails"></td>
</tr>
<tr>
<td>House Photo</td><td><input type="file" name="aphoto"></td>
</tr>
<tr>
<td>House Price</td><td><input type="text" name="aprice"></td>
</tr>
<tr>
<td></td><td><input type="submit" name="submit" value="Store
Information"></td>
</tr>
</table>
</form>
</body>
</html>

```

storeinfo(same code of art gallery, change db)

```

<?php
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();}
$name = $_POST['aname'];
$rooms = $_POST['arooms'];
$details = $_POST['adetails'];
$location = $_POST['alocation'];
$county = $_POST['acounty'];
$country = $_POST['acountry'];
$photo = addslashes (file_get_contents($_FILES['aphoto']
['tmp_name']));
$image = getimagesize($_FILES['aphoto']['tmp_name']);//to know
about image type etc
$price = $_POST['aprice'];
$imgtype = $image['mime'];
$q ="INSERT INTO housedata
VALUES('','$name','$rooms','$details','$location', '$county',
'$country', '$photo','$imgtype','$price')";
$r = mysql_query($q,$conn);
if($r)
{
echo "Information stored successfully";
}
else
{
echo mysql_error();
}
?>

```

image(same code of art gallery, change db)

control_panel:

```

<html>
<head>
<title></title>
</head>
<body>
<?php
echo "| " . "<a
href='http://carminerendina.com/Backoffice/Real%20Estate%20Agency
%20Management%20Project/Real_Estate_1/'>Home</a>";
require ("cr.php");?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
//echo "<br><hr><br>";
require("update_form.php");
echo "<br><hr><br>";
require("delete_form.php");
//require("search_form.php");

```



```

%20Management%20Project/Real_Estate_1/show.php">FOR
SALE</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management%20Project/Real_Estate_5/show.php">FOR
RENT</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_4/show.php">LAND</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_6/show.php">HOLIDAY</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_3/show.php">BUSINESS</a></div></td>
</tr>
</table>
<br><hr><br>
';
?>
</body>
</html>

```

My_Mort_Calc:

```

<?php require ('menu.php');?>
<?php // require ("searcher.php"); ?>
<?php require ("cr.php"); ?>
<form action="" method='POST'>
Sale Price of Home: &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type='text' name='num1'
value='<?php if (isset($num1)) { echo $num1; } ?>' />
<br />
<br />
Interest rate P/Y:
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<select name='operation'
>
<option>Select rate for Year..</option>
<option>1</option>
<option>2</option>
<option>3</option>
<option>4</option>
<option>5</option>
<option>6</option>
<option>7</option>
<option>8</option>
<option>9</option>
<option>10</option>
</select>
<br /><br />
Number of years: &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input
type='text' name='num2' value='<?php if (isset($num2)) { echo
$num2; } ?>' />
<br />
<br />
<input type='submit' name='submit' value='Calculate' />
<br><br><hr>
</form>
<?php
if (isset($_POST['num1'], $_POST['num2'], $_POST['operation'],
$_POST['submit'])) {
$num1 = $_POST['num1'];$num2 = $_POST['num2'];
$operation = $_POST['operation'];
$submit = $_POST['submit'];
if ($submit) {
if ($operation == 'Select rate for Year..') {
echo "You must select a number.";
}
if ($operation == '1') {
$myval = (.01/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '2') {
$myval = (.02/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '3') {
$myval = (.03/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '4') {
$myval = (.04/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '5') {
$myval = (.05/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '6') {

```

```

$myval = (.06/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}if ($operation == '7') {
$myval = (.07/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '8') {
$myval = (.08/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '9') {
$myval = (.09/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
if ($operation == '10') {
$myval = (.10/12);
echo ($num1 * ((1 + $myval) * ($num2*12)) *
$myval)/(((1 + $myval) * ($num2*12)) - 1);
}
}
}
?>

```

show:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #800080;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #00FF00;
}
</style></head>
<body>
<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM housedata where acountry = 'England'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "<br>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . $row['acounty'] . " .";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s), " . $row['adetails'] . " .";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);

```

```

echo "<img src=image.php?ano=".$row['ano']." width=300 height=100/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<?php // require("PayPal_button.php"); ?>
<br><hr><br>
<?php require("links.php"); ?>
</body>
</html>

```

show_by_country:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
//$search = $_GET['acountry'];
$search = 'England';
$q = "SELECT * FROM housedata WHERE acountry = '$search'";
//= '$search'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "<br>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['allocation'] . " , " . $row['acounty'] . " . ";
echo "<br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s), " . $row['adetails'] . " . ";
echo "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000 . " $";
echo "<br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "<br>";
echo "<br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']." width=300 height=100/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_by_county:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>

```

```

<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['acounty'];
$q = "SELECT * FROM housedata WHERE acounty = '$search'";
//= '$search'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_by_location:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['alocation'];
$q = "SELECT * FROM housedata WHERE alocation = '$search'";
//= '$search'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";

```

```
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300 height=100/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>show_by_number_of_Bedrooms:
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn =
mysql_connect("carminedb6.db.7102590.hostedresource.com","carminedb6","Halloween77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['arooms'];
$q = "SELECT * FROM housedata WHERE arooms = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300 height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";

```



```

echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_by_price:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['aprice'];
$q = "SELECT * FROM housedata WHERE aprice BETWEEN 85 AND
'$search' ORDER BY aprice ASC";
//= '$search!";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "<br>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . " ;
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . " ;
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_by_rooms:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)

```

```

{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['arooms'];
$q = "SELECT * FROM housedata WHERE arooms = '$search'";
//= '$search!";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "</br>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype!";
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_it:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
//$search = $_GET['acountry!";
$search = 'Italy';
$q = "SELECT * FROM housedata WHERE acountry = '$search!";
//= '$search!";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";

```

```

echo "</br>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['allocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src='image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_uk:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
//$search = $_GET['acountry'];
$search = 'England';
$q = "SELECT * FROM housedata WHERE acountry = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "</br>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['allocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src='image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";

```

```

echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_us:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #800080;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #00FF00;
}
</style>
</head>
<body>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM housedata where acountry = 'Usa'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "<br>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . ", " . $row['alocation'] . ", " . $row['acounty'] . ". ";
echo "<br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s), " . $row['adetails'] . ". ";
echo "<br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "<br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "<br>";
echo "</tr>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";}
}
else
{
echo mysql_error();
}

```



```

}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<?php require ('menu.php');?>
<?php // require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO ...
<?php
require("db.php");$x = "SELECT * FROM agentdata";
$display = mysql_query($x);
echo "<table border = '1'>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "";
};
echo "</table>\n";
//close connection
mysql_close($db);
?>
-->
<!-- <br><hr><br> →

```

For any enquire:

```

<br><br><br>
<?php
require 'Agent_1.php';
?>
<p align = right>
<div align = right>
<?php
require 'agent_by_county.php';
?>
<?php
require 'agent_by_location.php';
?>
<?php
require 'agent_by_country.php';
?>
<?php
require 'agent_all.php';
?>
</p></div>

```

business_1_by_country:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<?php require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['acountry'];
$q = "SELECT * FROM agentdata WHERE acountry = '$search'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{echo "<table border = '0' align=left>\n";
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp;";
echo "<br>";

```



```

//echo "<td>";
" . $row['aname']; // . "</td>";
echo "Address:&nbsp; " . $row['adetails'] . " , " .
$row['aresidence'] . " , " . $row['alocation'] . " , " .
$row['acounty'] . " , ";
//HURRAY!!!!!!!!!!!!!!!!!!!!!! Lovely loop!
$search = $row['acountry'];
if ($row['acountry'] == 'Usa')
{
echo "<a href='show_us.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'England')
{
echo "<a href='show_uk.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'Italy')
{
echo "<a href='show_it.php'>" . $row['acountry'] . "</a>";
}
else
{
echo '<h4>You got it!</h4>';
}
echo "<br>";
//echo "<td>";
echo "Telephone:&nbsp; " .
echo "<br>";
$row['atelephone']; // . "</td>";//echo "<td>";
echo "Mob:&nbsp; " . $row['amob']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Email:&nbsp; " . $row['amail']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Web:&nbsp; " . $row['aweb']; // . "</td>";
echo "<br>";
//echo "</td><br>";
echo "<br>";
//echo "</tr>";
echo "</table>";
}
}
else
{
echo mysql_error();
}
?>
<br><br>
<p align = right>
<div align = right>
<?php require 'agent_by_county.php';?>
<?php require 'agent_by_location.php';?>
<?php require 'agent_by_country.php';?>
<?php require 'agent_all.php';?>
</div></p>
</p>
</body>
</html>

```

business_1_by_county:

```

<html>
<head>
<style type="text/css">
a:link {COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<?php require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['acounty'];
$sql = "SELECT * FROM agentdata WHERE acounty = '$search'";

```

```

// = '$search!";
$r = mysql_query("$q", $conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
/*
echo "<td>";echo "</br>";
echo "Local agent name:&nbsp;";
" . $row['aname'] . "<br><br>";
echo "Address:&nbsp;"; " . $row['adetails'] . ", " .
$row['aresidence'] . ", " . $row['alocation'] . ", " .
$row['acounty'] . ", " . $row['acountry'] . "<br><br>";
echo "Telephone:&nbsp;"; " . $row['atelephone'] . "<br><br>";
echo "Mob:&nbsp;"; " . $row['amob'] . "<br><br>";
echo "Email:&nbsp;"; " . $row['amail'] . "<br><br>";
echo "Web:&nbsp;"; " . $row['aweb'] . "<br><br>";
echo "</td>";
echo "</table>\n";
*/
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp;";
echo "<br>";
//echo "<td>";
" . $row['aname']; // . "</td>";
$acounty = '';
echo "Address:&nbsp;"; " . $row['adetails'] . ", " .
$row['aresidence'] . ", " . $row['alocation'] . ", " .
$row['acounty'] . ", ";
////////////////////////////////////
if ($row['acountry'] == 'Usa')
{
echo "<a href='show_us.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'England')
{
echo "<a href='show_uk.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'Italy')
{
echo "<a href='show_it.php'>" . $row['acountry'] . "</a>";}
else
{
echo '<h4>You got it!</h4>';
}
echo "<br>";
//echo "<td>";
echo "Telephone:&nbsp;"; " . $row['atelephone']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Mob:&nbsp;"; " . $row['amob']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Email:&nbsp;"; " . $row['amail']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Web:&nbsp;"; " . $row['aweb']; // . "</td>";
echo "<br>";
//echo "</td><br>";
echo "<br>";
//echo "</tr>";
echo "</table>";
}
}
else
{
echo mysql_error();
}
?>
<hr>
<p align = right>
<div align = right>
<?php require 'agent_by_county.php';?>
<?php require 'agent_by_location.php';?>
<?php require 'agent_by_country.php';?>
<?php require 'agent_all.php';?></div></p>
</p>
</body>
</html>

```

business_1_by_location:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {

```

```

COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<?php require ('menu.php');?>
<?php require //'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}$search = $_POST['alocation'];
$q = "SELECT * FROM agentdata WHERE alocation = '$search'";
/= '$search'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r)
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp; " . $row['aname']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Address:&nbsp; " . $row['adetails'] . " , " .
$row['aresidence'] . " , " . $row['alocation'] . " , " .
$row['acounty'] . " , ";
////////////////////////////////////
if ($row['acountry'] == 'Usa')
{
echo "<a href='show_us.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'England')
{
echo "<a href='show_uk.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'Italy')
{
echo "<a href='show_it.php'>" . $row['acountry'] . "</a>";
}
else{
echo '<h4>You got it!</h4>';
}
}
echo "<br>";
//echo "<td>";
echo "Telephone:&nbsp; " . $row['atelephone']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Mob:&nbsp; " . $row['amob']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Email:&nbsp; " . $row['amail']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Web:&nbsp; " . $row['aweb']; // . "</td>";
echo "<br>";
//echo "</td><br>";
echo "<br>";
//echo "</tr>";
echo "</table>";
/*
echo "<td>";
echo "</br>";
echo "Local agent name:&nbsp; " . $row['aname'] . "<br><br>";
echo "Address:&nbsp; " . $row['adetails'] . " , " .
$row['aresidence'] . " , " . $row['alocation'] . " , " .
$row['acounty'] . " , " . $row['acountry'] . "<br><br>";
echo "Telephone:&nbsp; " . $row['atelephone'] . "<br><br>";
echo "Mob:&nbsp; " . $row['amob'] . "<br><br>";
echo "Email:&nbsp; " . $row['amail'] . "<br><br>";
echo "Web:&nbsp; " . $row['aweb'] . "<br><br>";
echo "</td>";
echo "</table>\n";
*/
}
}
else
{
echo mysql_error();
}?>

```

```

<hr>
<p align = right>
<div align = right>
<?php require 'agent_by_county.php';?>
<?php require 'agent_by_location.php';?>
<?php require 'agent_by_country.php';?>
<?php require 'agent_all.php';?>
</div></p>
</body>
</html>

```

business_3:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<?php require ('menu.php');?>
<?php // require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE →
Local Agent Name:<br>
<br>Address:<br><br>Telephone:<br>
<br>Mob:<br>
<br>E-Mail:<br>
<br>Web site:<br>
<br><hr><br>
For any enquire:
<br><br><br>
<?php
require 'Agent_3.php';
?>

```

business_all:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<?php require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db){
echo mysql_error();
}
$search = $_POST['acountry'];
$q = "SELECT * FROM agentdata";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
echo "<table border = '0' align=left>\n";
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp;";
echo "<br>";

```


Management Project\Agents

Control Panel:

```
<html>
<head>
<title></title>
</head>
<?php // require ("search.php");?>
<?php require ("cr.php");?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("delete_form.php");
require("search_form.php");
require("insert_form.php");
require("update_form.php");
//require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
mysql_close($db);
?>
</body>
</html>
```

index:

```
<html>
<head><style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Carmine Rendina - Music Download</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php
//require("search_form.php");
?>
<?php
require("db.php");
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM agentdata";
$display = mysql_query($x);
//echo "<table border = '0' bgcolor=#E0F8F7>\n";
echo "<table border = '0'>\n";
//echo "<tr><th>ID</th><th>Name</th><th>Listen List</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr><td> {$var['aname']} </a>
</td>
<td> <a href=' {$var['aweb']}'> {$var['aweb']} </a>
</td>
</tr>\n";
};
echo "</table>\n";
//close connection
mysql_close($db);
?>
<hr><br>
</body>
</html>
```

main:

```
<?php
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM agentdata";
$display = mysql_query($x);
echo "<table border = '1'>\n";
echo
"<tr><th>ID</th><th>Name</th><th>address</th><th>City</th><th>Country</th><th>Country</th><th>Tel</th><th>mob</th><th>Email</th><th>web</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td> {$var['ano']} &nbsp; </td>
<td> {$var['aname']} &nbsp; </td>
<td> {$var['adetails']} &nbsp; </td>
```

```

<td>{ $var['alocation']} &nbsp; </td>
<td>{ $var['acounty']} &nbsp; </td><td>
<td>{ $var['acountry']} &nbsp; </td>
<td>{ $var['atelephone']} &nbsp; </td>
<td>{ $var['amob']} &nbsp; </td>
<td>{ $var['amail']} &nbsp; </td>
<td>{ $var['aweb']} &nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>

```

menu (same code, change path)

db:

```

<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb6","Halloweenday77");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The Database connection has been established
successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb6");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";?>

```

insert:

```

<?php
require("db.php");
echo "Thank you for submission ";
echo "<br>";
echo "<a href = 'index.php'>Click here</a> to go back!";
echo "<br>";
$x1 = $_POST['ano'];
$x2 = $_POST['aname'];
$x3 = $_POST['adetails'];
$x11 = $_POST['aresidence'];
$x4 = $_POST['alocation'];
$x5 = $_POST['acounty'];
$x6 = $_POST['acountry'];
$x7 = $_POST['atelephone'];
$x8 = $_POST['amob'];
$x9 = $_POST['amail'];
$x10 = $_POST['aweb'];
echo "<br>";
echo "You have submitted the following values:<br /> \n";
echo "<br>";
echo "id: {$x1} <br /> \n";
echo "name: {$x2} <br /> \n";
echo "address: {$x3} <br /> \n";
echo "Residence: {$x11} <br /> \n";
echo "city: {$x4} <br /> \n";
echo "county: {$x5} <br /> \n";
echo "country: {$x6} <br /> \n";
echo "tel: {$x7} <br /> \n";
echo "mob: {$x8} <br /> \n";
echo "mail: {$x9} <br /> \n";
echo "web: {$x10} <br /> \n";
echo "<br>";
$super_engine = "
INSERT INTO
agentdata(ano,aname,adetails,aresidence,alocation,acounty,acountry
,atelephone,amob,amail,aweb)values
({$x1},'{$x2}','{$x3}','{$x11}','{$x4}','{$x5}','{$x6}','{$x7}','
{$x8}','{$x9}','{$x10}')
";
mysql_query($super_engine);
if(mysql_errno() !=0)
{
echo "Error <b>" . mysql_errno() . "</b>: " . mysql_error() . "<br
/>";
}
else
{
echo "<br><br>";
echo " inserted successfully!<br />";};
?>

```


delete_form:

```
<?php
echo "
<script type='text/javascript'></script>
<fieldset>
<legend>Delete record</legend>
<form method='POST' action='delete.php'>
&nbsp;
<input type='text' name='delete' size='10' />
<input type='submit' onClick = 'javascript: return confirm(\"Are
you sure?\");' value='Delete record' />
</form>
</fieldset>
";
echo "<br>";
?>
```

html\Backoffice\Media Management Project\Audio_Management_Project

menu(same code, change path)

Upload_Image(same code of art gallery, change db)

```
<html>
<title>Audio Information </title>
<body>
<form enctype="multipart/form-data" action="storeinfo.php"
method="POST">
<table border=0 align=center bgcolor=white width=100%>
<tr><td colspan=2><h2>&nbsp;</h2></td></tr>
</table>
<table border=0 align=center bgcolor=white>
<tr><td colspan=2><h2>Audio management
program</h2><hr><br></td></tr>
<tr>
<td>Name</td><td><input type=text name="aname"></td>
</tr>
<tr>
<td>Details</td><td><input type=text name="adetails"></td>
</tr>
<tr>
<td>Photo</td><td><input type=file name="aphoto"></td>
</tr>
<tr>
<td>Link</td><td><input type=text name="ahyperlink"></td>
</tr>
<tr>
<td>Album</td><td><input type=text name="aalbum"></td>
</tr>
<tr>
<td>Truck</td><td><input type=text name="atitle"></td>
</tr>
<tr>
<td></td><td><input type=submit name="submit" value="Store
Information"></td>
</tr>
</table>
</form>
</body>
</html>
```

storeinfo(same code of art gallery, change db)

```
<?php
ini_set('display_errors',1);error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{
echo mysql_error();
}
$name = $_POST['aname'];
$details = $_POST['adetails'];
$hyperlink = $_POST['ahyperlink'];
$album = $_POST['aalbum'];
$title = $_POST['atitle'];
$photo = addslashes (file_get_contents($_FILES['aphoto']
['tmp_name']));
$image = getimagesize($_FILES['aphoto']['tmp_name']);//to know
about image type etc
$imgtype = $image['mime'];
$q ="INSERT INTO musicdata2
VALUES('','$name','$details','$photo','$imgtype','$hyperlink',
'$album','$title')";
$r = mysql_query($q,$conn);
if($r)
{
echo "Information stored successfully";
}
else
{
}
```

```
echo mysql_error();
}
?>
```

image(same code of art gallery, change db)

control_panel:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Control panel Video List</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php
echo '
<h4>Control Panel [Video List]</h4>
<hr><br>
';
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("insert_form.php");
require("update_form.php");
require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
//mysql_close($db);
?><br><hr>
</body>
</html>
```

db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
// echo "The connection has been established successfully<br />";
echo "<br>";
// Use SQL Statement
mysql_query("use carminedb3");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
// echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>
```

index:

```
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
<title></title>
</head>
<body><?php
// put your code here
require 'show.php';
?>
</body>
</html>
```

show:

```
<?php require 'menu.php';?>
<?php require 'cr.php';?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM musicdata2";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=center>\n";
echo "<tr>";
echo "<td>";
echo "<br>";
echo "Name: " . $row['aname'];
echo "<br>";
echo "Details: " . $row['adetails'];
echo "<br>";
echo "Album: " . $row['aalbum'];
echo "<br>";
echo "Track: " . $row['atitle'];
echo "<br>";
echo "<br>";
echo "</td>";echo "</tr>";
echo "<tr>";
echo "<td align=center>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<a href='{ $row['ahyperlink'] }'><img src=image.php?ano=" .
$row['ano']. " width=300 height=300/></a><br>";
echo "<!--
<audio controls='controls' height='30' width='300'>
<source src='{ $row['ahyperlink'] }' type='audio/mp3' />
<embed height='40' width='300' src='{ $row['ahyperlink'] }' />
</audio>
-->";
echo "</td>";
echo "</tr>";
echo "</table>\n";
}
}
else
{
echo mysql_error();
}
?>
<?php echo "<br><hr><br>"; ?>
```

main:

```
<?php
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM musicdata2";
$display = mysql_query($x);
echo "<table border = '1'>\n";
echo
"<tr><th>ano</th><th>aname</th><th>adetails</th><th>aphototype</th>
<th>ahyperlink</th><th>aalbum</th><th>atitle</th></tr>\n";while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td> {$var['ano']} &nbsp; </td>
<td> {$var['aname']} &nbsp; </td>
<td> {$var['adetails']} &nbsp; </td>
<!-- <td> {$var['aphoto']} &nbsp; </td> -->
<td> {$var['aphototype']} &nbsp; </td>
<td> {$var['ahyperlink']} &nbsp; </td>
<td> {$var['aalbum']} &nbsp; </td>
<td> {$var['atitle']} &nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>
```

insert:

```
<?php
require("db.php");
echo "Thank you for submission ";
echo "<br>";
```



```
mysql_query($super_engine);
//header("Location: control_panel.php");
?>
```

delete_form:

```
<?php
echo "
<script type='text/javascript'></script>
<fieldset>
<legend>Delete record</legend>
<form method='POST' action='delete.php'>
&nbsp;
<input type='text' name='delete' size='10' />
<input type='submit' onClick = 'javascript: return confirm(\"Are
you sure?\");' value='Delete record' />
</form>
</fieldset>
";echo "<br>";
//require("main.php");
?>
```

html\Backoffice\Media Management

Project\Media_Management_Project_Stream

Control Panel:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Carmine Rendina - Downloads</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php require("db.php");
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search formrequire("insert_form.php");
require("update_form.php");
require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
mysql_close($db);
?>
</body>
</html>
```

db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb3");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};//echo "<br>";
?>
```

index:

```
<html>
<head>
<style type="text/css">
```



```

a:link {
COLOR: #000000;
}a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
<title>Carmine Rendina - Downloads</title>
</head>
<body>
<?php require("menu.php");?>
<?php // require("cr.php");?>
<?php require("db.php");
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("insert_form.php");
require("update_form.php");
require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
mysql_close($db);
?>
</body>
</html>

```

db:

```

<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The connection has been established successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb3");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>

```

index:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;}
</style>
<link rel="ICON" href="http://www.carminarendina.com/favicon.ico"
type="image/ico" />
<link rel="SHORTCUT ICON"
href="http://www.carminarendina.com/favicon.ico"
type="image/ico"/>
<title>Carmine Rendina - Television</title>
</head>
<body>
<?php require("menu.php");?>
<?php // require("cr.php");?>
<hr>
<?php
//require("search_form.php");
?>
<?php
require("db.php");
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM stream2";

```



```

require("db.php");
$x1 = intval($_POST['delete']);
$super_engine = "DELETE FROM stream2 WHERE id={$x1}";
mysql_query($super_engine);
header("Location: index.php");
?>

```

delete_form:

```

<?php
echo "
<script type='text/javascript'></script>
<fieldset>
<legend>Delete record</legend>
<form method='POST' action='delete.php'>
&nbsp;
<input type='text' name='delete' size='10' />
<input type='submit' onClick = 'javascript: return confirm(\"Are
you sure?\");' value='Delete record' />
</form>
</fieldset>
";
echo "<br>";
?>
html\Backoffice\Media Management Project\Video_Management_project
menu(same code, change path)Upload_Image(same code of art gallery, change db)
<html>
<title>Video Information </title>
<body>
<form enctype="multipart/form-data" action="storeinfo.php"
method="POST">
<table border=0 align=center bgcolor=white width=100%>
<tr><td colspan=2><h2>&nbsp;</h2></td></tr>
</table>
<table border=0 align=center bgcolor=white>
<tr><td colspan=2><h2>Video management
program</h2><hr><br></td></tr>
<tr>
<td>Name</td><td><input type=text name="aname"></td>
</tr>
<tr>
<td>Details</td><td><input type=text name="adetails"></td>
</tr>
<tr>
<td>Photo</td><td><input type=file name="aphoto"></td>
</tr>
<tr>
<td>Link</td><td><input type=text name="ahyperlink"></td>
</tr>
<tr>
<td>Album</td><td><input type=text name="aalbum"></td>
</tr>
<tr>
<td>Truck</td><td><input type=text name="atitle"></td>
</tr>
<tr>
<td></td><td><input type=submit name="submit" value="Store
Information"></td>
</tr>
</table>
</form>
</body>
</html>

```

storeinfo(same code of art gallery, change db)

```

<?php
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{echo mysql_error();
}
$name = $_POST['aname'];
$details = $_POST['adetails'];
$hyperlink = $_POST['ahyperlink'];
$aalbum = $_POST['aalbum'];
$title = $_POST['atitle'];
$photo = addslashes (file_get_contents($_FILES['aphoto']
['tmp_name']));
$image = getimagesize($_FILES['aphoto']['tmp_name']);//to know
about image type etc
$imgtype = $image['mime'];
$q ="INSERT INTO musicdata2
VALUES('','$name','$details','$photo','$imgtype','$ahyperlink',
'$aalbum','$title)";
$r = mysql_query($q,$conn);
if($r)
{
echo "Information stored successfully";
}

```

```

else
{
echo mysql_error();
}
?>

```

image(same code of art gallery, change db)

control_panel:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style><title>Control panel Video List</title>
</head>
<body>
<?php require("menu.php");?>
<?php require("cr.php");?>
<?php
echo '
<h4>Control Panel [Video List]</h4>
<hr><br>
';
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
require("insert_form.php");
require("update_form.php");
require("delete_form.php");
//require("search_form.php");
//main part
require("main.php");
//close connection
//mysql_close($db);
?>
<br><hr>
</body>
</html>

```

db:

```

<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb3","Halloweenday31");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
// echo "The connection has been established successfully<br />";
echo "<br>";
// Use SQL Statement
mysql_query("use carminedb3");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
// echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>

```

index:

```

<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
<title></title>
</head>
<body>
<?php
// put your code here
require 'show.php';
?>
</body>
</html>

```

main:

```
<?php
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM musicdata";
$display = mysql_query($x);
echo "<table border = '1'>\n";
echo
"<tr><th>ano</th><th>aname</th><th>adetails</th><th>aphototype</th>
<th>ahyperlink</th><th>aalbum</th><th>atitle</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td> {$var['ano']} &nbsp; </td>
<td> {$var['aname']} &nbsp; </td>
<td> {$var['adetails']} &nbsp; </td>
<!-- <td> {$var['aphoto']} &nbsp; </td> -->
<td> {$var['aphototype']} &nbsp; </td>
<td> {$var['ahyperlink']} &nbsp; </td>
<td> {$var['aalbum']} &nbsp; </td>
<td> {$var['atitle']} &nbsp; </td>
</tr>\n";
};
echo "</table>\n";
?>
```

show:

```
<?php require 'menu.php';?>
<?php require 'cr.php';?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb3","Halloweenday31");
if(!$conn)
{echo mysql_error();
}
$db = mysql_select_db("carminedb3",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM musicdata";
$r = mysql_query($q,$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=center>\n";
echo "<tr>";
echo "<td>";
echo "<br>";
echo "Name: " . $row['aname'];
echo "<br>";
echo "Details: " . $row['adetails'];
echo "<br>";
echo "Album: " . $row['aalbum'];
echo "<br>";
echo "Track: " . $row['atitle'];
echo "<br>";
echo "<br>";
echo "<td>";
echo "</tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<a href='{$row['ahyperlink']}'><img src=image.php?ano=" .
$row['ano'] . " width=300 height=300/></a>";
echo "<!--
<video width='300' height='300' controls='controls'>
<source src='{$row['ahyperlink']}' type='video/mp4'>
<source src='{$row['ahyperlink']}' type='video/ogg'>
<source src='{$row['ahyperlink']}' type='video/webm'>
<object data='{$row['ahyperlink']}' width='300' height='300'>
<embed src='{$row['ahyperlink']}' width='300' height='300'>
</object>
</video-->";
echo "</td>";
echo "</tr>";
echo "</table>\n";
}
}
else
{
echo mysql_error();
}
?>
<?php echo "<br><hr><br>"; ?>
```

insert:

```
<?php
require("db.php");
```



```

</style>
</head>
</html>
<body>
<?php
echo '
<table width="100%">
<tr>
<td><div align="center"><a
href="http://carminerendina.com/Backoffice/Real%20Estate%20Agency
%20Management%20Project/Real_Estate_1/show.php">FOR
SALE</a></div></td>
<td><div align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management%20Project/Real_Estate_5/show.php">FOR
RENT</a></div></td>
<td><div align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_4/show.php">LAND</a></div></td>
<td><div align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_6/show.php">HOLIDAY</a></div></td>
<td><div align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_3/show.php">BUSINESS</a></div></td>
</tr>
</table>
<br><hr><br>
';?>
</body>
</html>

```

menu(same code, change path)

Upload_Image(same code of art gallery, change db)

```

<html>
<title>House Information </title>
<body>
<form enctype="multipart/form-data" action="storeinfo.php"
method="POST">
<table border=0 align=center bgcolor=white width=100%>
<tr><td colspan=2><h2>&nbsp;</h2></td></tr>
</table>
<table border=0 align=center bgcolor=white>
<tr><td colspan=2><h2>Real Estate Agency Management
Project</h2><hr><br></td></tr>
<tr>
<td>House Address</td><td><input type=text name="aname"></td>
</tr>
<tr>
<td>Location</td><td><input type=text name="alocation"></td>
</tr>
<tr>
<td>County</td><td><input type=text name="acounty"></td>
</tr>
<tr>
<td>Country</td><td><input type=text name="acountry"></td>
</tr>
<tr>
<td>Number of Bedrooms</td><td><input type=text
name="arooms"></td>
</tr>
<tr>
<td>House Description</td><td><input type=text
name="adetails"></td>
</tr>
<tr>
<td>House Photo</td><td><input type=file name="aphoto"></td>
</tr>
<tr>
<td>House Price</td><td><input type=text name="aprice"></td>
</tr>
<tr>
<td></td><td><input type=submit name="submit" value="Store
Information"></td>
</tr></table>
</form>
</body>
</html>

```

storeinfo(same code of art gallery, change db)

```

<?php
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)

```

```

{
echo mysql_error();
}
$name = $_POST['aname'];
$arooms = $_POST['arooms'];
$adetails = $_POST['adetails'];
$alocation = $_POST['alocation'];
$acounty = $_POST['acounty'];
$acountry = $_POST['acountry'];
$aphoto = addslashes (file_get_contents($_FILES['aphoto']
['tmp_name']));
$image = getimagesize($_FILES['aphoto']['tmp_name']);//to know
about image type etc
$aprice = $_POST['aprice'];
$imgtype = $image['mime'];
$q = "INSERT INTO housedata
VALUES('','$aname','$arooms','$adetails','$alocation', '$acounty',
'$acountry', '$aphoto','$imgtype','$aprice')";
$r = mysql_query($q,$conn);
if($r)
{
echo "Information stored successfully";
}
else
{
echo mysql_error();
}
?>

```

image(same code of art gallery, change db)

control_panel:

```

<html>
<head>
<title></title>
</head>
<body>
<?php
echo "| " . "<a
href='http://carminerendina.com/Backoffice/Real%20Estate%20Agency
%20Management%20Project/Real_Estate_1/'>Home</a>";
require ("cr.php");
?>
<?php
//connect to database
require("db.php");
//this displays the insert, update, delete and search form
//echo "<br><hr><br>";
require("update_form.php");
echo "<br><hr><br>";
require("delete_form.php");
//require("search_form.php");
//main part
//close connection
mysql_close($db);
echo "<br><hr><br>";
?>
</body>
</html>

```

index:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #800080;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #00FF00;
}
</style>
</head>
<body>
<?php require("cr.php");?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}

```


db:

```
<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb6","Halloweenday77");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The Database connection has been established
successfully<br />";
//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb6");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";?>
```

Links:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #000000;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<body>
<?php
echo '
<table width="100%">
<tr>
<td align="center"><a
href="http://carminerendina.com/Backoffice/Real%20Estate%20Agency
%20Management%20Project/Real_Estate_1/show.php">FOR
SALE</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management%20Project/Real_Estate_5/show.php">FOR
RENT</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_4/show.php">LAND</a></div></td>
<td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_6/show.php">HOLIDAY</a></div></td><td align="center"><a
href="http://www.carminerendina.com/Backoffice/Real%20Estate
%20Agency%20Management
%20Project/Real_Estate_3/show.php">BUSINESS</a></div></td>
</tr>
</table>
<br><hr><br>
';
?>
</body>
</html>
```

My_Mort_Calc:

```
<?php require ('menu.php');?>
<?php // require ("searcher.php"); ?>
<?php require ("cr.php"); ?>
<form action="" method='POST'>
Sale Price of Home: &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input type='text' name='num1'
value='<?php if (isset($num1)) { echo $num1; } ?>' />
<br />
<br />
Interest rate P/Y:
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<select name='operation'
>
<option>Select rate for Year..</option>
<option>1</option>
<option>2</option>
<option>3</option>
<option>4</option>
```



```

}
</style>
</head>
<body>
<?php //require ('Searcher.php');?>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM housedata where acountry = 'England'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</tr>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</tr>";
echo "</tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</tr>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' /> " . "Details" . "</a>";
echo "</tr>";
echo "</tr>";
echo "</tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";}
}
else
{
echo mysql_error();
}
?>
<?php // require("PayPal_button.php"); ?>
<br><hr><br>
<?php require("links.php"); ?>
</body>
</html>

```

show_by_country:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
//$search = $_GET['acountry'];
$search = 'England';
$q = "SELECT * FROM housedata WHERE acountry = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)

```

```

{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['allocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src='image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_by_county:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['acounty'];
$q = "SELECT * FROM housedata WHERE acounty = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo
echo
. " ,
echo
"</br>";
"Address:&nbsp; " . $row['aname'] . " , " . $row['allocation']
" . $row['acounty'] . " . ";
"</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " .
$row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp;
echo "</br>";
//echo "</br>";

```

```

". $row['aprice'] .".000" . " $";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" .
"Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_by_location:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['alocation'];
$q = "SELECT * FROM housedata WHERE alocation = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r)
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . " ;
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . " ;
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] .".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
//echo "</td>";
echo "</table>\n";
echo "</p>";echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>

```

```
<?php require("links.php"); ?>
```

show_by_number_of_Bedrooms:

```
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn =
mysql_connect("carminedb6.db.7102590.hostedresource.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['arooms'];
$q = "SELECT * FROM housedata WHERE arooms = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r)){
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['allocation'] . " , " . $row['acounty'] . " . " ;
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s), " . $row['adetails'] . " . " ;
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' /> " . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "</tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300 height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>
show_by_price:
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['aprice'];
$q = "SELECT * FROM housedata WHERE aprice BETWEEN 85 AND '$search' ORDER BY aprice ASC";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
```

```

while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_by_rooms:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['arooms'];
$q = "SELECT * FROM housedata WHERE arooms = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);

```

```

echo "<img src=image.php?ano=".$row['ano']." width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";
echo "</div>";}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>
show_it:
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
}
//$search = $_GET['acountry'];
$search = 'Italy';
$q = "SELECT * FROM housedata WHERE acountry = '$search'";
//= '$search'";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['alocation'] . " , " . $row['acounty'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' /> " . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']." width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";echo "</p>";
echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_uk:

```

<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)

```

```

{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
//$search = $_GET['acountry'];
$search = 'England';
$q = "SELECT * FROM housedata WHERE acountry = '$search'";
//= '$search!";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");echo "<p align = center>";
echo "<div align = center>";
echo "<table border = '0' align=center>\n";
//echo "<td>";
echo "</tr>";
echo "<tr>";
echo "Address:&nbsp; " . $row['aname'] . " , " . $row['allocation'] . " , " . $row['acountry'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Details:&nbsp; " . $row['arooms'] . " Bedroom(s) , " . $row['adetails'] . " . ";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "Price:&nbsp; " . $row['aprice'] . ".000" . " $";
echo "</br>";
echo "</tr>";
echo "<tr>";
echo "<a href='business_.php?ano=".$row['ano']."' />" . "Details" . "</a>";
echo "</br>";
echo "</br>";
echo "</tr>";
echo "<tr>";
//$type = "Content-type: ".$row['aphototype'];
//header($type);
echo "<img src=image.php?ano=".$row['ano']."' width=300
height=100/>";
echo "</tr>";
echo "<tr>";
echo "</td>";
echo "</table>\n";
echo "</p>";echo "</div>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr><br>
<?php // require("PayPal_button.php"); ?>
<?php require("links.php"); ?>

```

show_us:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #800080;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #00FF00;
}
</style>
</head>
<body>
<?php require ('menu.php');?>
<?php require ('cr.php');?>
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$q = "SELECT * FROM housedata where acountry = 'Usa'";

```



```

if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}$ano = $_GET['ano'];
//$q = "SELECT displaydetails FROM housedata where ano ='$ano'";
//$q = "SELECT aname, alocation, adetails, displaydetail, acounty,
aprice FROM housedata where ano ='$ano'";
$q = "SELECT aname, alocation, adetails, arooms, acounty, aprice
FROM housedata where ano ='$ano'";
$r = mysql_query("$q",$conn);
if($r)
{
$row = mysql_fetch_array($r);
echo "Location:&nbsp; " . $row['aname'] . " , " .
$row['alocation'] . " , " . $row['acounty'] . " . ";
echo "<br>";
echo "Details:&nbsp; " . $row['arooms'] . " " . "Bedroom(s) " . " ,
" . $row['adetails'] . " . ";
echo "<br>";
echo "Price:&nbsp;";
" . $row['aprice'] . ".000" . " $";
}
else
{
echo mysql_error();
}
?>
<?php echo "<br><br><a href='booking_send.php?ano=".$ano."' />" .
"Booking" . "</a>"; // . " | "; ?>

```

business_1:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<?php require ('menu.php');?>
<?php // require 'Searcher.php'?>
<?php require 'cr.php'?>
<!-- TODO ...
<?php
require("db.php");
$x = "SELECT * FROM agentdata";
$display = mysql_query($x);
echo "<table border = '1'>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "";
};
echo "</table>\n";
//close connection
mysql_close($db);
?>
-->
<!-- <br><hr><br> →

```

For any enquire:

```

<br><br><br>
<?php
require 'Agent_1.php';
?>
<p align = right><div align = right>
<?php
require 'agent_by_county.php';
?>
<?php
require 'agent_by_location.php';
?>
<?php
require 'agent_by_country.php';
?>
<?php
require 'agent_all.php';
?>
</p>
</div>

```

business_1_by_country:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<?php require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['acountry'];
$sql = "SELECT * FROM agentdata WHERE acountry = '$search'";
$r = mysql_query($sql,$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
echo "<table border = '0' align=left>\n";
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp;";
echo "<br>";
//echo "<td>";
" . $row['aname']; // . "</td>";
echo "Address:&nbsp;"; " . $row['adetails'] . ", " . " .
$row['aresidence'] . ", " . $row['alocation'] . ", " .
$row['acountry'] . ", ";
//HURRAY!!!!!!!!!!!!!!!!!!!!!! Lovely loop!
$search = $row['acountry'];
if ($row['acountry'] == 'Usa')
{
echo "<a href='show_us.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'England')
{
echo "<a href='show_uk.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'Italy'){
echo "<a href='show_it.php'>" . $row['acountry'] . "</a>";
}
else
{
echo '<h4>You got it!</h4>';
}
echo "<br>";
//echo "<td>";
echo "Telephone:&nbsp;"; " . $row['atelephone']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Mob:&nbsp;"; " . $row['amob']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Email:&nbsp;"; " . $row['amail']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Web:&nbsp;"; " . $row['aweb']; // . "</td>";
echo "<br>";
//echo "</td><br>";
echo "<br>";
//echo "</tr>";
echo "</table>";
}
}
else
{
echo mysql_error();
}
?>
<br><hr>
<p align = right>
```

```
<div align = right>
<?php require 'agent_by_county.php';?>
<?php require 'agent_by_location.php';?>
<?php require 'agent_by_country.php';?>
<?php require 'agent_all.php';?>
</div></p>
</body>
</html>
```

business_1_by_county:

```
<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<?php require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['acounty'];
$sql = "SELECT * FROM agentdata WHERE acounty = '$search'";
//= '$search';
$r = mysql_query("$sql",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
/*
echo "<td>";
echo "</br>";
echo "Local agent name:&nbsp;";
" . $row['aname'] . "<br><br>";
echo "Address:&nbsp;"; " . $row['adetails'] . ", " .
$row['aresidence'] . ", " . $row['alocation'] . ", " .
$row['acounty'] . ", " . $row['acountry'] . "<br><br>";
echo "Telephone:&nbsp;"; " . $row['atelephone'] . "<br><br>";
echo "Mob:&nbsp;"; " . $row['amob'] . "<br><br>";
echo "Email:&nbsp;"; " . $row['amail'] . "<br><br>";
echo "Web:&nbsp;"; " . $row['aweb'] . "<br><br>";
echo "</td>";
echo "</table>\n";
*/
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp;";
echo "<br>";
//echo "<td>";
" . $row['aname']; // . "</td>";
$acounty = '';
echo "Address:&nbsp;"; " . $row['adetails'] . ", " .
$row['aresidence'] . ", " . $row['alocation'] . ", " .
$row['acounty'] . ", ";
////////////////////////////////////
if ($row['acountry'] == 'Usa'){
echo "<a href='show_us.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'England')
{
echo "<a href='show_uk.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'Italy')
{
echo "<a href='show_it.php'>" . $row['acountry'] . "</a>";
}
else
{
echo '<h4>You got it!</h4>';
}
```

```

}
echo "<br>";
//echo "<td>";
echo "Telephone:&nbsp; " . $row['atelephone']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Mob:&nbsp; " . $row['amob']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Email:&nbsp; " . $row['amail']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Web:&nbsp; " . $row['aweb']; // . "</td>";
echo "<br>";
//echo "</td><br>";
echo "<br>";
//echo "</tr>";
echo "</table>";
}
}
else{
echo mysql_error();
}
?>
<hr>
<p align = right>
<div align = right>
<?php require 'agent_by_county.php';?>
<?php require 'agent_by_location.php';?>
<?php require 'agent_by_country.php';?>
<?php require 'agent_all.php';?>
</div></p>
</p>
</body>
</html>

```

business_1_by_location:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
<?php require ('menu.php');?>
<?php require //'Searcher.php';?>
<?php require 'cr.php';?><!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['alocation'];
$q = "SELECT * FROM agentdata WHERE alocation = '$search'";
//= '$search';
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
//header("Content-type: text/html");
echo "<table border = '0' align=left>\n";
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp; " . $row['aname']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Address:&nbsp; " . $row['adetails'] . " , " .
$row['aresidence'] . " , " . $row['alocation'] . " , " .
$row['acounty'] . " , ";
////////////////////////////////////
if ($row['acountry'] == 'Usa')
{
echo "<a href='show_us.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'England')

```

```

{
echo "<a href='show_uk.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'Italy')
{
echo "<a href='show_it.php'>" . $row['acountry'] . "</a>";
}
else
{
echo '<h4>You got it!</h4>';
}
echo "<br>";
//echo "<td>";
echo "Telephone:&nbsp;" . $row['atelephone']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Mob:&nbsp;" . $row['amob']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Email:&nbsp;" . $row['amail']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Web:&nbsp;" . $row['aweb']; // . "</td>";
echo "<br>";
//echo "</td><br>";
echo "<br>";
//echo "</tr>";
echo "</table>";
/*
echo "<td>";
echo "</br>";
echo "Local agent name:&nbsp;";
" . $row['aname'] . "<br><br>";echo "Address:&nbsp;" . $row['adetails'] . ", " .
$row['aresidence'] . ", " . $row['alocation'] . ", " .
$row['acountry'] . ", " . $row['acountry'] . "<br><br>";
echo "Telephone:&nbsp;" . $row['atelephone'] . "<br><br>";
echo "Mob:&nbsp;" . $row['amob'] . "<br><br>";
echo "Email:&nbsp;" . $row['amail'] . "<br><br>";
echo "Web:&nbsp;" . $row['aweb'] . "<br><br>";
echo "</td>";
echo "</table>\n";
*/
}
else
{
echo mysql_error();
}
?>
<hr>
<p align = right>
<div align = right>
<?php require 'agent_by_county.php';?>
<?php require 'agent_by_location.php';?>
<?php require 'agent_by_country.php';?>
<?php require 'agent_all.php';?>
</div></p>
</p>
</body>
</html>

```

business_3:

```

<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style>
</head>
</html>
<?php require ('menu.php');?>
<?php // require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
Local Agent Name:<br>
<br>Address:<br>
<br>Telephone:<br>
<br>Mob:<br>
<br>E-Mail:<br>
<br>Web site:<br>
<br><hr><br>

```

For any enquire:

```

<br><br><br>
<?php

```

```

require 'Agent_3.php';
?>
business_all:
<html>
<head>
<style type="text/css">
a:link {
COLOR: #0000FF;
}
a:visited {
COLOR: #000000;
}
a:hover {
COLOR: #FF0000;
}
a:active {
COLOR: #000000;
}
</style></head>
<?php require 'Searcher.php';?>
<?php require 'cr.php';?>
<!-- TODO PERSONNEL DB and CODE -->
<?php
//show information
ini_set('display_errors',1);
error_reporting(E_ALL);
$conn = mysql_connect("dbhost.com","carminedb6","Halloweenday77");
if(!$conn)
{
echo mysql_error();
}
$db = mysql_select_db("carminedb6",$conn);
if(!$db)
{
echo mysql_error();
}
$search = $_POST['acountry'];
$q = "SELECT * FROM agentdata";
$r = mysql_query("$q",$conn);
if($r)
{
while($row=mysql_fetch_array($r))
{
echo "<table border = '0' align=left>\n";
echo "<tr>";
//echo "<td>";
//echo "</br>";
echo "Local agent name:&nbsp;";
echo "<br>";
//echo "<td>";
" . $row['aname']; // . "</td>";
echo "Address:&nbsp;"; " . $row['adetails'] . " , " .
$row['aresidence'] . " , " . $row['alocation'] . " , " .
$row['acounty'] . " , ";
//HURRAY!!!!!!!!!!!!!!!!!!!!!! Lovely loop!
$search = $row['acountry'];
if ($row['acountry'] == 'Usa')
{echo "<a href='show_us.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'England')
{
echo "<a href='show_uk.php'>" . $row['acountry'] . "</a>";
}
else if ($row['acountry'] == 'Italy')
{
echo "<a href='show_it.php'>" . $row['acountry'] . "</a>";
}
else
{
echo '<h4>You got it!</h4>';
}
echo "<br>";
//echo "<td>";
echo "Telephone:&nbsp;"; " . $row['atelephone']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Mob:&nbsp;"; " . $row['amob']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Email:&nbsp;"; " . $row['amail']; // . "</td>";
echo "<br>";
//echo "<td>";
echo "Web:&nbsp;"; " . $row['aweb']; // . "</td>";
echo "<br>";
//echo "</td><br>";
echo "<br>";
//echo "</tr>";
echo "</table>";
}
}
else
{echo mysql_error();
}
?>
<br><hr>
<p align = right>

```



```

<?php require("cr.php");?>
<?php
//require("search_form.php");
?>
<?php
require("db.php");//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM agentdata";
$display = mysql_query($x);
//echo "<table border = '0' bgcolor=#E0F8F7>\n";
echo "<table border = '0'>\n";
//echo "<tr><th>ID</th><th>Name</th><th>Listen List</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td> {$var['aname']} </a>
</td>
<td> <a href='{$var['aweb']}'>{$var['aweb']} </a>
</td>
</tr>\n";
};
echo "</table>\n";
//close connection
mysql_close($db);
?>
<hr><br>
</body>
</html>

```

main:

```

<?php
//Main Php file necessary to require function declared in index.php
$x = "SELECT * FROM agentdata";
$display = mysql_query($x);echo "<table border = '1'>\n";
echo
"<tr><th>ID</th><th>Name</th><th>address</th><th>City</th><th>Coun
ty</th><th>Country</th><th>Tel</th><th>mob</th><th>Email</th><th>w
eb</th></tr>\n";
while($var = mysql_fetch_array($display,MYSQL_ASSOC))
{
echo "
<tr>
<td>{$var['ano']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['aname']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['adetails']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['alocation']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['acounty']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['acountry']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['atelephone']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['amob']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['amail']} &nbsp;&nbsp;&nbsp;</td>
<td>{$var['aweb']} &nbsp;&nbsp;&nbsp;</td>
</tr>\n";
};
echo "</table>\n";
?>

```

menu (same code, change path)

db:

```

<?php
//connect to the db server
$db = mysql_connect ("dbhost.com","carminedb6","Halloweenday77");
if (!$db)
{
die("Could not connect! <br />" . "Error number " .
mysql_errno() . ": " . mysql_error());
};
//echo "The Database connection has been established
successfully<br />";//echo "<br>";
// Use SQL Statement
mysql_query("use carminedb6");
if
(mysql_errno() != 0)
{
echo "cannot change database!<br />";
}
else
{
//echo "Database has been changed successfully<br />";
};
//echo "<br>";
?>

```

insert:

```

<?php
require("db.php");
echo "Thank you for submission ";
echo "<br>";
echo "<a href = 'index.php'>Click here</a> to go back!";
echo "<br>";
$x1 = $_POST['ano'];
$x2 = $_POST['aname'];

```


